

## HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

tabbles

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1100	0.5	7.57	0.495	1.3		9.865	2	METAL	16 X 21
	1100								CULVERT	14 X 22
	1102		0.982				0.982	1		
	1103	1	2.61				3.61	3		
	1104	0.5	5.176				5.676	3	CONCRETE	16 X 55
	1106		0.775	1.01	0.546		2.331	2		
	1107		1.652				1.652	2	CONCRETE	20 X 16
	1108		0.541				0.541	2		
	1109		0.43	1.429	1.281		3.14	1	CONCRETE	13 X 53
	1110		1.2	0.8			2	3		
	1111		1.2				1.2	3		
2023	1112 reclaim		2.425	1			3.425	2		
2023	1113 reclaim		0.7				0.7	2		
	1114		1.088	0.373			1.461	2		
	1115		0.8		0.3		1.1	2		
2023	1116 reclaim - 1 mile		6.942	1.823	0.915		9.68	3		
	1117		1.1				1.1	2		
	1118		0.931	0.391			1.322	2		
	1119		1.577				1.577	2		
	1120		2.577				2.577	3	CONCRETE	20 X 62
	1122		0.431	0.8	0.6		1.831	1		
2019	1123		3.1				3.1	3		
2019	1124				1.7		1.7		STATE CEMENT	26 X 16
	1125		1	1.547	2.3		4.847	1	CONCRETE	17 X 40
	1126		2.275				2.275	1		
	1127		3.932				3.932	1		
	1130			3.37			3.37	1		
	1131		4.6	1.485			6.085	3		
	1134		1.147				1.147	1		
	1135		2.4				2.4	2		
	1136		0.701	0.889	0.5		2.09	2	CULVERT	14 X 16
2023	1137		1.447				1.447	2	CONCRETE	20 x 30
2023	1138				1	2.845	3.845	3	CONCRETE	16 X 56
									ST/CMT	15'6" X 54

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF DIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1139			0.308	0.741		1.049	1	CULVERT	9 X 13
	1140			0.155			0.155	2		
	1142		0.434	0.743			1.177	1		
2023	1143	reclaim - 2 miles		0.27		2.074	2.344	4		
	1144		2.39		0.591	2.39	5.371	4		
	1145		1.3				1.3	3		
	1146		0.96		2.94		3.9	1	CONCERT	16 X 40
									ST/CMT	17 X 42
	1147				0.3		0.3	1		
	1148			0.292			0.292	1		
	1149		1.705		1.185		2.89	2	TANK CAR	8 FT
	1150			0.136			0.136	1		
	1151		1.629		0.894		2.523	2		
2022	1152		1.726	0.132	1.742		3.6	1	CONCRETE (XDOT)	30 X 75
									CONCRETE	18 x 48
	1153		1.1				1.1	2		
	1154		1.087		0.545		1.632	3	ST/CMT	16X68
2023	1155	reclaim - 2 miles		1.751	0.582		2.333	2	ST/CMT	20X30
	1156		0.125		1.254		1.379	1		
2023	1157		1.716		3.169		4.885	1	CONCRETE	27 X40
	1158		0.875	0.663			1.538	1		
	1159		2.329	0.279	0.371		2.979	1		
	1160		0.968				0.968	2		
	1161		0.8				0.8	3		
	1162		0.473				0.473	3		
	1163		3.769	0.382			4.151	3	CONCRETE	27 X 62
	1164		0.44	0.609	1.575		2.624	2	METAL	18 X 24
	1165		2.577	0.2	0.65		3.427	2	CULVERT	18 X 16
	1166		0.824				0.824	1		
	1167		0.382				0.382	2		
	1168		0.3	0.48	0.448		1.228	3	CULVERT	14 X 12
	1169		0.6		0.5		1.1	2		
	1170		1.9				1.9	2		
	1171		1.97		0.86		2.83	2		
	1172		1				1	2		
	1173		0.7	0.733			1.433	3	ST/CMT	16 x 18
2022	1173								CONCRETE	20 X 30
	1174		3.344	0.434	0.366		4.144	1	CONCRETE	18 X 20

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1175		0.917			0.2	1.117	3		
	1176		0.413	0.818			1.231	3		
	1177		1.678				1.678	4		
2023	1178	0.558		0.472	0.859		1.889	3	CONCRT	20 x 41
	1179		1.924				1.924	2		
2023	1180		0.103	0.774	0.182		1.059	1	CONCRT (1xDOT)	30 X 75
	1181		1.72				1.72	3		
	1182			0.409			0.409	1		
	1183		1.855				1.855	2		
	1184		0.395				0.395	2		
	1185		1.96	0.53	0.455		2.945	1		
	1186			0.944	2.486		3.43	1	CONCRT	22 x 31
	1187		1.33		0.344		1.674	3		
	1188		0.395				0.395	3		
2023	1189			1.26			1.26	2		
2003	1190		0.795	0.476	0.795		2.066	2		
	1191		0.082	0.09			0.172	1		
	1192		0.189	0.1			0.289	1		
	1193		0.701	0.474	0.754		1.929	1		
	1194		1.273	0.075	1.128		2.476	1		
	1195		0.8	1.244			2.044	1		
	1196		3.334				3.334	2		
	1197		0.559				0.559	2		
	1198		0.649	0.189			0.838	2		
	1199		0.519				0.519	3		
	1200		0.331				0.331	3		
	1201			0.166			0.166	1		
	1203		0.161				0.161	1		
	1209			0.478			0.478	3		
	1211		0.714				0.714	3		
	1212			0.3			0.3	2		
	1213		0.364				0.364	3		
	1214			0.535			0.535	2		
	1216			0.442			0.442	1		
	1217			0.356			0.356	3		
1996	1218		0.948				0.948	3		
	1219			0.274			0.274	1		
	1220			0.484			0.484	1		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
1992	1221			0.198			0.198	1		
	1222		0.5				0.5			
	1436		1				1	1		
	1438				1.139		1.139	1		
	1439		3.6				3.6	2		
	1440		1.161				1.161	1	CONCRT	27 x 79
	1441		1.3	0.146	1.054		2.5	1		
	1442		3.113				3.113	1	CULVERT	
	1443		1.784				1.784	2		
	1444		2.721				2.721	2	CONCRT	18 x 27
	1445		1.7				1.7	2		
	1455			0.171			0.171	1		
	1469		0.341				0.341	2		
	briarwood street		0.402				0.402	3		
	briarwood circle		0.269				0.269	3		
	briarwood lane		0.331				0.331	3		
	briarwood place		0.229				0.229	3		
	briarwood drive		0.146				0.146	3		
	briarwood road		0.061				0.061	3		
2/8/2010	Katie Ridge		0.45				0.45	3		
2/8/2010	Conner		0.05				0.05	3		
2/8/2010	Kylie	0.45					0.45	3		
2/8/2010	Cole		0.05				0.05	3		
	total mileage:	3.008	143.8	35.802	35.382	7.309	225.301			

Updated 8/14/2023

  
 Approved by Commissioner Mickey Barker

## HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2174		4.25				4.25	3		
	2300		2.11				2.11	3		
	2301		5.48				5.48	2		
	2302		0.8				0.8	3		
	2303		0.5				0.5	3		
	2304		1.35				1.35	3		
	2305		0.4				0.4	3		
	2306			0.31			0.31	3		
2019	2307	N. SH11	0.2				0.2	3		
	2308		2.86				2.86	4		
	2310		10.26				10.26	2	CEMENT	20 X 30
1999	2313				0.52		0.52	3		
	2314		0.2		1		1.2	3		
	2315		0.32				0.32	5		
	2316		2.2	1.1			3.3	5		
	2317				0.56		0.56	4		
	2318		0.6				0.6	3		
	2319		2.25				2.25	3		
	2320		2.61				2.61	3		
	2321		2.1				2.1	3		
	2322		4.26				4.26	3		
	2323				0.57		0.57	2		
	2324		4.2		1.4		5.6	3		
	2325		1.61				1.61	3		
	2326		1.3				1.3	3		
	2327		0.25		0.45		0.7	3		
	2328			1.13			1.13	3		
	2329		1.8				1.8	3		
	2330		1.3				1.3	3		
	2331		3.6				3.6	3		
	2332		1.72				1.72	3		
	2333		5.21				5.21	3		
	2335		0.6		1.9		2.5	3		
	2336		3.1				3.1	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2337		0.7				0.7	3		
	2339		0.22				0.22	3		
	2341		2.49				2.49	3		
	2345		0.42				0.42	3		
	2346		4.4		2.61		7.01	2		
	2348		1.1				1.1	3		
	2375		1.8				1.8	3		
	2376		1		1.5		2.5	3		
	2377		0.4	3.6			4	3		
	2379		2				2	3		
	2381		3.9	0.76			4.66	3		
	2382		1.51				1.51	3		
	2383		3.22				3.22	4		
	2384		0.6				0.6	4		
	2386		2.43				2.43	3		
	2387		0.72				0.72	3		
	2388		1.2				1.2	4		
	2389		2.2		0.3		2.5	3		
	2390		5.42				5.42	4		
	2391		2.78				2.78	4		
	2392		1				1	4		
	2393		3.49				3.49	4		
	2394			0.4			0.4	4		
	2395		1				1	3		
	2396		0.62				0.62	3		
	2397		0.89				0.89	3		
	2398		0.41				0.41	3		
	2399		1.83		0.48		2.31	3		
	2400		2.88				2.88	4		
	2401		1.2				1.2	4		
	2402		2.7				2.7	3		
	2403		3.68	1.4			5.08	3		
	2404		0.3		0.5		0.8	3		
	2405		0.6				0.6	3		
	2406				0.4		0.4	3		
	2407		1.72				1.72	3		
	2408		4.65				4.65	4		
	2409			0.91			0.91	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2410		3.1				3.1	4	CEMENT	6 X 20
	2412		0.6				0.6	3		
	2413 North		0.89				0.89	3	1.78	
	2414		0.6	0.8			1.4	3		
	2415		4.43	0.77			5.2	3		
	2416			0.2			0.2	3		
	2417		0.4				0.4	3		
	2418		0.2				0.2	3		
	2419		0.3				0.3	3		
	2420		1.8				1.8	3	CEMENT	60 x 30
	2421		2.73				2.73	3		
	2422				1.4		1.4	3		
	2423		1.7				1.7	3		
	2424		0.42				0.42	3		
	2425			2.9			2.9	3		
	2426		3.7				3.7	3		
	2427		0.5				0.5	3		
	2428		1.7	2			3.7	3		
	2429		0.4				0.4	3		
	2430		0.5				0.5	3		
	2431		2.82				2.82	3		
	2432			0.2			0.2	3		
	2433		0.68				0.68	3		
	2434		0.35				0.35	3		
	2435		1.65				1.65	3		
	2436		4.5				4.5	3		30 x 24
	2437		2.45				2.45	3		
	2439		1.53				1.53	3		
	2446				0.58		0.58	3		
	2447		7.3				7.3	3		
	2450		0.5				0.5	3		
1992	2452		0.31				0.31	3		
	2453		0.2				0.2	3		
	2454		0.72				0.72	3		
	2458		0.11				0.11	3		
	2460		0.43				0.43	3		
	2461				0.32		0.32	3		
	2463				0.61		0.61	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2464		0.25				0.25	3		
	2465		2.11				2.11	3		
	2466			0.4			0.4	3		
	2467				0.32		0.32	3		
1995	2468			0.3			0.3	3		
	2470				0.3		0.3	3		
	2471		0.2				0.2	3		
	2472				0.2		0.2	3		
	2473		0.4				0.4	3		
	2474			1.1			1.1	3		
2015	Dolly Road		0.35				0.35	3		
2015	Ely Drive		0.1				0.1	3		
2015	Shawn Drive		0.5				0.5	3		
2015	Katrina Drive		0.2				0.2	3		
2015	Coyote Creek		0.25				0.25	3		
2015	Wylie Drive		0.5				0.5	3		
	TOTALS		185.3	18.28	15.92		219.5			

2004 David Owens Subdivision  
2015 Honey Suckle Creek Estates Phase III Subdivision

Updated 8/14/2023



Approved by Commissioner Greg Anglin



### HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3310		0.5	1		2.7	4.2	3	CONCRETE	30 X 14
	3311		1.1				1.1	5		
	3312		0.7				0.7	3		
	3334		0.6				0.6	2		
	3338		0.4				0.4	3		
	3340		0.9	0.2			1.1	2		
S	3341		1.8				1.8	3		
N	3341		1.2	0.8			2	5		
	3342		2.1	0.2	0.9		3.2	3		
	3343		0.3				0.3	3		
	3344		1.7	1.6			3.3	4		
	3345		0.9				0.9	3		
	3349			0.7			0.7	2		
	3350		2.1				2.1	2		
	3351		1.2	0.4	0.3		1.9	5		
	3352		0.7				0.7	2		
	3353				0.9		0.9	1		
	3354			0.9			0.9	2		
	3355		2.5				2.5	4		
	3356		0.3				0.3	2		
	3357		1.8				1.8	5		
	3358		0.3				0.3	3		
	3359		3.6				3.6	5		
	3360		0.5				0.5	2		
	3362		1.2				1.2	2		
	3363			0.2			0.2	4		
	3364		1				1	3		
	3365		0.5				0.5	3		
	3366		0.6				0.6	5		
1993	3367		1.7				1.7	5		
	3368					0.8	0.8	2		
	3369		0.8		0.1		0.9	3		
	3370		0.4				0.4	2		
	3371		0.9	0.1	0.8		1.8	3		
	3372					3.5	3.5	3	STEEL	10 X 8
	3373		0.7	0.7			1.4	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3374		0.5		0.4		0.9	2		
	3378					0.3	0.3	3		
	3380		0.2	0.3	1.2		1.7	2		
	3385			0.5		5.9	6.4	2		
	3456		0.1	0.4			0.5	1		
	3462		0.1				0.1	1		
	3500		0.2				0.2	FAIR		
	3501		0.4				0.4	3		
	3502		2.4				2.4	3		
	3503		0.1	0.6			0.7	3		
	3504		4.2	0.8			5	4	STEEL	22 X 50
	3505		0.3				0.3	4		
	3506		1.6				1.6	4		
	3507		1	0.3			1.3	4		
	3509		0.5				0.5	4		
	3510			1			1	3		
	3511		2.5	0.3			2.8	4		
	3512		3.5	0.2			3.7	3		
	3513		1.5	0.8			2.3	2		
	3514		0.2	0.6			0.8	3		
1999	3515		0.4				0.4	4		
	3516		0.4				0.4	3		
	3517		0.6				0.6	4		
	3518		3	1.1			4.1	5	ST/CMT	20 X 80
	3519		0.9				0.9	3		
	3520		1.8	2.2		4	8	3		
	3521		0.7				0.7	2		
	3522		0.5				0.5	4		
	3523			0.4		0.9	1.3	4		
	3524		3.7	1.4			5.1	3		
	3525		0.9			2	2.9	3		
	3526		0.4				0.4	2		
	3527		0.2				0.2	2		
	3528		2.8				2.8	3		
	3529 North		0.6				0.6	4		
	3529 South		0.4				0.4	3		
	3530			0.3	0.4		0.7	3		
	3531		0.5	0.7			1.2	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3532		2.5				2.5	4		
	3533		1.5				1.5	5		
	3534		0.8	0.3			1.1	5		
	3535		0.6				0.6	3		
	3536		3.6	1.7			5.3	3	ST/CMT	20 X 40
	3537		0.3				0.3	3		
	3538			1.2			1.2	3		
	3539		0.4	0.6			1	3		
	3541		0.3				0.3	4		
	3542		4.4				4.4	3		
	3543		1.1				1.1	4		
	3544			1.1			1.1	3		
	3545			4.1			4.1	3		
	3546		2.8	2.8			5.6	3		
	3547			0.5			0.5	3		
	3548			1.2			1.2	3		
	3549			0.6			0.6	3		
	3550		0.8	0.5			1.3	3		
	3551				0.4		0.4	1		
	3552		0.8				0.8	5		
	3553				1.5		1.5	1		
	3554		0.7	0.8			1.5	3		
	3555		0.4	0.3			0.7	3		
	3556		0.8				0.8	5		
	3557		0.2		0.1		0.3	2		
	3558		4.7				4.7	4		
	3559			1.5			1.5	3		
	3560			1.4			1.4	3		
	3561		1	2.1			3.1	3		
	3562		5.3				5.3	3		
	3563		2.2				2.2	3		
	3564		1.1				1.1	3		
	3565		0.9				0.9	3		
	3566			0.5		2	2.5	2		
	3567		4	0.8			4.8	2		
	3568		1.7				1.7	3		
	3569					1.7	1.7	3		
	3570		0.1	0.3			0.4	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3571			0.25			0.25	2		
	3572			0.7	1.5		2.2	1	ST/CMT	20 X 40
	3573		0.2		0.6		0.8	1		
	3574			0.3			0.3	3		
	3582		0.6			0.6	1.2	2		
	3584		0.3				0.3	3		
	3585		0.5	0.2			0.7	3		
	3593		0.3				0.3	2		
	3594			0.1			0.1	2		
	3595		0.2				0.2	2		
	3597		0.1				0.1	2		
	3598		0.2				0.2	2		
	3599		0.1				0.1	2		
	3600		0.2		0.2		0.4	3		
	3601		0.1				0.1	3		
	3602		0.2				0.2	3		
	3603					0.4	0.4	3		
	3604		0.4				0.4	3		
	3605		0.7				0.7	3		
	3606		0.3				0.3	5		
	3607		0.2				0.2	2		
	3608		0.2				0.2	3		
	3610		0.1				0.1	3		
	3611			0.6	0.3		0.9	2		
	3617			0.4			0.4	2		
	3619		0.2				0.2	3		
1989	3620					0.4	0.4	2		
	3621		0.2				0.2	5		
	3623		0.4				0.4	3		
	3624		0.2				0.2	2		
	3625		0.2				0.2	3		
	3626			0.1			0.1	2		
	3627			0.4			0.4	2		
	3628			0.3			0.3	3		
	3629			1.2			1.2	3		
	3631		0.7				0.7	3		
	3632		0.5				0.5	3		
	3633		0.2				0.2	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3634			0.2			0.2	2		
	3635			0.2			0.2	2		
	3636			0.5			0.5	2		
	3637				0.3		0.3	1		
1997	3638			0.2			0.2	2		
	3639		0.6				0.6	3		
1998	3640					1.2	1.2	3		
1998	3641		0.2				0.2	3		
	3642		0.1				0.1	4		OLD TARRANT CEMETERY
	3643			0.7			0.7	2		
	3644		0.4				0.4	3		
	3646		0.5				0.5	3		J.W. LIGHTFOOT
2011	3647			0.5			0.5	3		
	3648 NEW		0.1	1.2			1.3	2		
2018	Niklaus St		0.45				0.45	3		
2018	Nelson St		0.7				0.7	3		
2018	Hogan St		0.1				0.1	3		
	TOTALS		123.75	49.05	9.9	26.4	209.1			

Updated 8/14/2023

  
 Approved by Commissioner Wade Bartley

### HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4112		1.1				1.1	3		
	4120	E.275	0.8				0.8	3		
	4120	W.275	1.2				1.2	3		
	4128		2.8	0.3			3.1	2	STATE CEMENT	
	4129		1.6	0.7	1.5		3.8	2		
	4131		3.4				3.4	3		
	4132		1.8				1.8	2		
	4133		1.6	0.3			1.9	2		
	4488		0.2				0.2	3		
	4508		0.8	0.5			1.3	4		
	4510			0.9			0.9	3		
	4574		2.5	1.5			4	2		
	4575		2.6		0.8		3.4	2	STATE	40 X 16
	4576			0.6			0.6	2		
	4577			0.8			0.8	2		
	4578		1.2	0.5			1.7	2		
	4579			0.1	1.6		1.7	3		
	4580		0.9	0.2			1.1	1		
	4581		1.7	0.9	1.3		3.9	3	WOOD	
	4582		1.2				1.2	4		
	4583				1.1		1.1	1		
	4586		3.1	0.8			3.9	2		
	4587		0.5				0.5	4		
	4588		1.6				1.6	3	STEEL	
	4589		0.8	0.2			1	4		
	4590		0.2				0.2	2		
	4591		0.9	0.7	0.6		2.2	3		
	4592		1.9				1.9	2		
	4593	TIRA		0.3			0.3	2		
	4612		1.6				1.6	2		
	4613		0.5				0.5	2		
	4614			0.1			0.1	1		
1997	4615		0.9				0.9	3		
	4616		0.7				0.7	2		
	4618			0.3			0.3	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4630			0.1			0.1	1		
	4700		0.7		1.5		2.2	1	STEEL	
	4701		0.4				0.4	2		
	4702		0.5	0.3			0.8	1		
	4704		0.5				0.5	1		
	4703			1.4			1.4	3		
	4705		0.4				0.4	3		
	4706		1.1				1.1	3		
	4707		3.5				3.5	3		
	4708		3.4				3.4	3	STATE CEMENT	
								3	STATE CEMENT	
	4709		0.3				0.3	2		
	4710		0.7	0.5			1.2	2	STATE CEMENT	
	4711		1.7	0.4	1.1		3.2	3	STATE CEMENT	
	4712		2.9	1.4			4.3	2	STATE CEMENT	40 X 14
	4712								STATE CEMENT	
	4713		0.4	0.1	0.5		1	4		
	4714		1.3		1.5		2.8	2	STEEL	28.5 X 16
	4715		0.8				0.8	4		
	4716		1.4				1.4	2		
	4717		0.2	0.4	0.5		1.1	1		
	4718		0.1				0.1	1		
	4719		1.9	0.2	0.6		2.7	3	CEMENT	4 X 24
									ST/CMT	52 X 26
	4720			1.9	3.1		5	3	STATE CEMENT	26 X 13
	4721			1.0	1.4		2.4	3	WOOD	24 X 16
									STEEL	12 X 14
	4722		0.8				0.8	4		
	4723		0.3				0.3	4		
	4724 NORTH			0.1	0.7		0.8	3		
	4724 SOUTH		4.5	1	0.2		5.7	4		
	4725		2.7	1.7			4.4	2	STATE	30 X 14
	4726		0.9				0.9	3		
	4727		0.2				0.2	1		
	4728		0.5	1.3	0.2		2	2		
	4729		0.1	0.8			0.9	2		
	4730		0.6				0.6	2		
	4731		0.4				0.4	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4732 E.of 275		1.3				1.3	3	CULVERTS	3-4X30
	4732 W.of 275		0.1	0.6	0.7		1.4	2		
	4733		0.1	0.1			0.2	2		
	4734		0.8				0.8	3	STEEL	
	4735		0.7				0.7	4		
	4736		0.6				0.6	4		
	4737		1.4				1.4	3		
	4738		0.9	5.3			6.2	2	ST/CMT	65 X 26
	4739			0.4			0.4	2		
	4740			0.6	0.9		1.5	2		
	4741			0.9			0.9	3	CULVERT	
	4742			0.3	0.3		0.6	3		
	4743		1.6				1.6	3		
	4744		3.1	4.3			7.4	2	STATE CEMENT	30 X 15
	4745			1.1			1.1	2		
	4746			0.1	0.3		0.4	1	CULVERTS	14 X 11
	4747		0.4		0.4		0.8	3		
	4748		0.4				0.4	3		
	4749		0.3		1.1		1.4	3		
	4750			0.8			0.8	2		
	4751		0.4				0.4	2		
	4752		1.9	1	1.7		4.6	3		
	4753			1.1			1.1	3		
	4754		1.6	0.8			2.4	3		
	4755		1.1				1.1	3		
	4756		0.6				0.6	1		
	4757		0.4				0.4	3		
	4758		0.5				0.5	4		
1996	4759		2.5				2.5	3		
	4760			1.1	2.1	4.4	7.6	3	CEMENT STATE	25 X 14
	4761		2.7				2.7	3		
	4762		2.8				2.8	2		
	4763		2.8	1.4			4.2	3	WOOD	
	4764		1.9				1.9	2	STATE CEMENT	
	4765			0.6			0.6	2		
	4766		4.1	0.3			4.4	4	WOOD	
	4767		2.3				2.3	3	WOOD	
	4768 S.of 71		1.8				1.8	1	STATE CEMENT	



YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4768 N.of 71		1.1	0.2			1.3	4		
1996	4769		1.8				1.8	3	STATE CEMENT	
	4770		0.3				0.3	2		
	4771		2.6				2.6	2	STATE CEMENT	
	4772		3.3				3.3	2		
	4773			0.2			0.2	2		
	4775		1.2				1.2	2		
	4776		0.2				0.2	2		
	4777		3.5				3.5	3	STATE CEMENT	
	4778		1.1				1.1	3		
	4779		1.3			0.2	1.5	3		
	4781					3.5	3.5	2		
	4782			0.7			0.7	2		
	4783		0.1				0.1	2		
	4784		0.6				0.6	3		
4785		0.1				0.1	3			
4786		0.3				0.3	3			
	4786 S.of Hwy 11		0.1				0.1			
	4787 W.of 2653		0.1				0.1	3		
	4788				0.6		0.6	1		
	4789		0.4				0.4	3		
	4790		0.3				0.3	2		
	4791		0.7				0.7	3		
	4792			0.7			0.7	2		
	4794		0.1	0.2			0.3	2		
1992	4795					0.6	0.6	5		
	4796		0.1		0.1		0.2	1		
	4797		0.2				0.2	2		
	4798		0.6		0.4		1	1		
	4799			0.4			0.4	3		
	4800			0.3			0.3	2		
	4801			0.7			0.7	2		
	4802		0.1				0.1	1		
	4803			0.4			0.4	1		
	4804			0.7			0.7	2		
	4805			0.2			0.2	3		
	4806			0.3			0.3	3	CULVERT	4 FT
	4807			0.1			0.1	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4808			0.2			0.2	4		
	4809			0.3	0.3		0.6	2		
	4810			1.7			1.7	3		
	4811		0.1				0.1	1		
2003	4812			0.1	0.5		0.6	1		
2003	4813		0.2				0.2	3		
2003	4814		0.3				0.3	3	STWD	
2003	4815		0.2				0.2	3		
	4816		0.3				0.3	3		
	4817		0.1				0.1	3		
	4818		0.1	RIDGEWAY			0.1	2		
	4819			0.3	CUMBY		0.3	2		
5/23/2005	4820			0.2			0.2	3		
5/23/2005	4821		0.1	CUMBY			0.1	3		
	4822					0.1	0.1	3		
	4823					0.4	0.4	3		
2022	4824					0.7	0.7			
	TOTAL		132	51	31.3	6.2	220.5			

Updated 8/14/2023

  
 Approved by Commissioner Joe Price