



COUNTY ROAD INVENTORY 2018 - HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD COND	BRIDGE SIZE & TYPE
				SEAL		SCALE 1-5	
1100	6.071	0.495	1.3		7.866	2	STEEL 16 X 21 WOOD 14 X 22
1102	0.982				0.982	3	
1103	2.214	0.252	1.153		3.619	3	
1104	2.065	0.454	0.546		3.065	2	WOOD 16 X 55 WOOD 15 x 21 ST/CMT 27 x 73
1106	0.775	1.01	0.506		2.291	3	
1107	1.652				1.652	3	CONCR. 20 X 16
1108	0.541				0.541	3	
1109	0.43	1.429	1.281		3.14	2	WOOD 13 X 53
1110	1.2	0.8			2	2	
1111	1.2				1.2	3	
1112	2.425		1		3.425	3	
1113	0.7				0.7	2	
1114	1.088	0.373			1.461	3	
1115	0.8		0.3		1.1	3	
1116	6.942	1.823	0.915		9.68	2	
1117	1.1				1.1	2	
1118	0.931	0.391			1.322	3	
1119	1.577				1.577	2	
1120	2.566				2.566	2	CONCR. 20 X 62
1122	0.431	0.6	0.6		1.631	2	
1123	2.946				2.946	2	
1125		0.753	1.547		2.3	2	CONCR. 17 X 40
1126	2.275				2.275	2	
1127	3.932				3.932	2	
1130		2.42	0.951		3.371	2	
1131	4.6	1.485			6.085	2	
1134	1.147				1.147	2	
1135	2.4				2.4	2	

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD CONDI	BRIDGE SIZE & TYPE	
	1136	0.701	0.889	0.5		2.09	3	WOOD	14 X 16
	1137	1.447				1.447	2		
	1138	2.845		1		3.845	2	WOOD	22 X 15
								ST/CMT	15'6" X 54
	1139		0.308	0.741		1.049	2	WOOD	9 X 13
	1140		0.155			0.155	2		
	1142	0.434	0.743			1.177	2		
	1143	2.074	0.27			2.344	2		
	1144	2.39		0.591		2.981	3		
	1145	1.1				1.1	2		
	1146	0.96		2.94		3.9	3	16 X 40	STEEL
								ST/CMT	17 x 42
	1147			0.3		0.3	2		
	1148		0.292			0.292	3		
	1149	1.705		1.185		2.89	2	WOOD	14 X 14
	1150		0.136			0.136	3		
	1151	1.629		0.894		2.523	2		
	1152	1.726	0.132	1.742		3.6	3	WOOD	15 X 42
								CONCRT	18 x 48
	1153	1.1				1.1	2		
	1154	1.087		0.545		1.632	3	ST/CMT	16X68
	1155	1.751		0.582		2.333	3	ST/CMT	20X30
	1156	0.125		1.254		1.379	2		
	1157	1.716	2.926	0.243		4.885	3	WOOD	16 X 28
	1158	0.875	0.663			1.538	2		
	1159	2.329	0.279	0.371		2.979	3		
	1160	0.968				0.968	2		
	1161	0.8				0.8	2		
	1162	0.473				0.473	3		
	1163	3.769	0.382			4.151	3	ST/WD	17X40
	1164	0.44	0.609	1.575		2.624	2	WOOD	14 X 12
	1165	2.577	0.2	0.65		3.427	3	WOOD	18 X 16
	1166	0.824				0.824	2		
	1167	0.382				0.382	2		
	1168	0.3	0.48	0.448		1.228	3	WOOD	14 X 12
	1169	0.6		0.5		1.1	3		

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD CONDI	BRIDGE SIZE & TYPE		
	1170	1.9				1.9	3			
	1171	1.97		0.86		2.83	2			
	1172	1				1	2			
	1173	0.7	0.733			1.433	3	ST/CMT	16 x 18	
	1174	3.344	0.434	0.366		4.144	2			
	1175	0.917		0.2		1.117	3			
	1176	0.413	0.618			1.031	2			
	1177	1.678				1.678	3			
	1178	0.558	1.331			1.889	2	CONCRT	20 x 41	
	1179	1.924				1.924	3			
	1180	0.103	0.774	0.182		1.059	2	CONCRT	17 x 36	
	1181	1.72				1.72	2			
	1182		0.409			0.409	3			
	1183	1.855				1.855	2			
	1184	0.395				0.395	3			
	1185	1.96	0.537	0.455		2.952	2			
	1186		0.944	2.486		3.43	3	CONCRT	22 x 31	
	1187	1.33		0.344		1.674	2			
	1188	0.395				0.395	3			
	1189		0.369	0.87		1.239	3			
2003	1190	0.795	0.476	0.795		2.066	3			
	1191	0.082	0.09			0.172	3			
	1192	0.189	0.1			0.289	3			
	1193	0.701	0.474	0.754		1.929	3			
	1194	1.273	0.075	1.128		2.476	2			
	1195	0.8	1.244			2.044	3			
	1196	3.334				3.334	3			
	1197	0.559				0.559	2			
	1198	0.649	0.189			0.838	3			
	1199	0.519				0.519	3			
	1200	0.331				0.331	2			
	1201		0.166			0.166	3			
	1203	0.161				0.161	3			
	1209		0.478			0.478	2			
	1211	0.714				0.714	3			
	1212		0.3			0.3	2			

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD CONDI	BRIDGE SIZE & TYPE
	1213	0.364				0.364	3	
	1214		0.535			0.535	2	
	1216		0.442			0.442	1	
	1217		0.356			0.356	2	
1996	1218	0.948				0.948	2	
	1219		0.274			0.274	1	
	1220		0.464			0.464	1	
1992	1221		0.198			0.198	1	
	1436	1.365				1.365	1	
	1438			1.139		1.139	1	
	1439	3.6				3.6	2	
	1440	1.161				1.161	1	CONCRT 27 x 79
	1441	1.3	0.146	1.054		2.5	1	
	1442	3.113				3.113	1	WOOD 20 x 20
	1443	1.784				1.784	2	
	1444	2.721				2.721	1	CONCRT 18 x 27
	1445	1.7				1.7	1	
	1455		0.171			0.171	1	
	1469	0.341				0.341	1	
	briarwood street	0.402				0.402	3	
	briarwood circle	0.269				0.269	3	
	briarwood lane	0.331				0.331	3	
	briarwood place	0.229				0.229	3	
	briarwood drive	0.146				0.146	3	
	briarwood road	0.061				0.061	3	
	total mileage:	142.221	33.076	36.793		212.698		

Amended - 02/12/2024


 Mickey Barker, Commissioner - Precinct 1

COUNTY ROAD INVENTORY 2019 - HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT									
YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1100	6.071	0.495	1.3		7.866	4	STEEL	16 X 21
								WOOD	14 X 22
	1102	0.982				0.982	3		
	1103	2.214	0.252	1.153		3.619	3		
	1104	2.065	0.454	0.546		3.065	2	WOOD	16 X 55
								WOOD	15 x 21
								ST/CMT	27 x 73
	1106	0.775	1.01	0.506		2.291	3		
	1107	1.652				1.652	3	CONCR.	20 X 16
	1108	0.541				0.541	3		
	1109	0.43	1.429	1.281		3.14	3	WOOD	13 X 53
	1110	1.2	0.8			2	2		
	1111	1.2				1.2	2		
	1112	2.425		1		3.425	3		
	1113	0.7				0.7	3		
	1114	1.088	0.373			1.461	2		
	1115	0.8		0.3		1.1	3		
	1116	6.942	1.823	0.915		9.68	2		
	1117	1.1				1.1	2		
	1118	0.931	0.391			1.322	3		
	1119	1.577				1.577	3		
	1120	2.566				2.566	2	CONCR.	20 X 62
	1122	0.431	0.6	0.6		1.631	2		
2019	1123	0.5				0.5	2		
2019	1124			1.7		1.7	2	STATE CEMENT	26 X 16
	1125		0.753	1.547		2.3	2	CONCR.	17 X 40
	1126	2.275				2.275	2		
	1127	3.932				3.932	2		
	1130		2.42	0.951		3.371	2		
	1131	4.6	1.485			6.085	2		
	1134	1.147				1.147	2		
	1135	2.4				2.4	2		
	1136	0.701	0.889	0.5		2.09	3	WOOD	14 X 16
	1137	1.447				1.447	2		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	1138	2.845		1		3.845	2	WOOD	22 X 15
	1139		0.308			1.049	1	WOOD	15'6" X 54
	1140		0.155			0.155	2		
	1142	0.434	0.743			1.177	2		
	1143	2.074	0.27			2.344	2		
	1144	2.39			0.591	2.981	3		
	1145	1.1				1.1	2		
	1146	0.96			2.94	3.9	CONCRT	216 X 40	STEEL
							ST/CMT	17 x 42	
	1147				0.3	0.3	2		
	1148		0.292			0.292	3		
	1149	1.705			1.185	2.89	2	WOOD	14 X 14
	1150		0.136			0.136	3		
	1151	1.629			0.894	2.523	2		
	1152	1.726	0.132		1.742	3.6	3	WOOD	15 X 42
								CONCRT	18 x 48
	1153	1.1				1.1	2		
	1154	1.087			0.545	1.632	3	ST/CMT	16X68
	1155	1.751			0.582	2.333	2	ST/CMT	20X30
	1156	0.125			1.254	1.379	2		
	1157	1.716	2.926		0.243	4.885	3	WOOD	16 X 28
	1158	0.875	0.663			1.538	2		
	1159	2.329	0.279		0.371	2.979	3		
	1160	0.968				0.968	2		
	1161	0.8				0.8	2		
	1162	0.473				0.473	2		
	1163	3.769	0.382			4.151	3	STWD	17X40
	1164	0.44	0.609		1.575	2.624	2	WOOD	14 X 12
	1165	2.577	0.2		0.65	3.427	2	WOOD	18 X 16
	1166	0.824				0.824	3		
	1167	0.382				0.382	2		
	1168	0.3	0.48		0.448	1.228	2	WOOD	14 X 12
	1169	0.6			0.5	1.1	2		
	1170	1.9				1.9	3		
	1171	1.97				2.83	2		
	1172	1				1	2		
	1173	0.7	0.733			1.433	2	ST/CMT	16 x 18
	1174	3.344	0.434		0.366	4.144	2		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	1175	0.917		0.2		1.117	3		
	1176	0.413	0.618			1.031	2		
	1177	1.678				1.678	3		
	1178	0.558	1.331			1.889	2	CONCRT	20 x 41
	1179	1.924				1.924	3		
	1180	0.103	0.774	0.182		1.059	2	CONCRT	17 x 36
	1181	1.72				1.72	2		
	1182		0.409			0.409	3		
	1183	1.855				1.855	3		
	1184	0.395				0.395	3		
	1185	1.96	0.537	0.455		2.952	2		
	1186		0.944	2.486		3.43	3	CONCRT	22 x 31
	1187	1.33		0.344		1.674	2		
	1188	0.395				0.395	3		
	1189		0.369	0.87		1.239	3		
2003	1190	0.795	0.476	0.795		2.066	3		
	1191	0.082	0.09			0.172	3		
	1192	0.189	0.1			0.289	3		
	1193	0.701	0.474	0.754		1.929	3		
	1194	1.273	0.075	1.128		2.476	2		
	1195	0.8	1.244			2.044	3		
	1196	3.334				3.334	3		
	1197	0.559				0.559	2		
	1198	0.649	0.189			0.838	3		
	1199	0.519				0.519	3		
	1200	0.331				0.331	2		
	1201		0.166			0.166	3		
	1203	0.161				0.161	3		
	1209		0.478			0.478	2		
	1211	0.714				0.714	3		
	1212		0.3			0.3	3		
	1213	0.364				0.364	2		
	1214		0.535			0.535	3		
	1216		0.442			0.442	2		
	1217		0.356			0.356	2		
1996	1218	0.948				0.948	2		
	1219		0.274			0.274	1		
	1220		0.464			0.464	1		
1992	1221		0.198			0.198	1		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	1436	1.365				1.365	1		
	1438			1.139		1.139	1		
	1439	3.6				3.6	2		
	1440	1.161				1.161	2	CONCRT	27 x 79
	1441	1.3	0.146	1.054		2.5	1		
	1442	3.113				3.113	1	WOOD	20 x 20
	1443	1.784				1.784	1		
	1444	2.721				2.721	2	CONCRT	18 x 27
	1445	1.7				1.7	1		
	1455		0.171			0.171	1		
	1469	0.341				0.341	1		
	briarwood street	0.402				0.402	3		
	briarwood circle	0.269				0.269	3		
	briarwood lane	0.331				0.331	3		
	briarwood place	0.229				0.229	3		
	briarwood drive	0.146				0.146	3		
	briarwood road	0.061				0.061	3		
	total mileage:	139.775	33.076	38.493		211.344			

Amended - 02/12/2024

Mickey Barker, Commissioner - Precinct 1

COUNTY ROAD INVENTORY 2020 - HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT									
YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1100	6.071	0.495	1.3		7.866	4	STEEL	16 X 21
								WOOD	14 X 22
	1102	0.982				0.982	1		
	1103	2.214	0.252	1.153		3.619	3		
	1104	2.065	0.454	0.546		3.065	3	WOOD	16 X 55
								WOOD	15 x 21
								ST/CMT	27 x 73
	1106	0.775	1.01	0.506		2.291	2		
	1107	1.652				1.652	2	CONCR.	20 X 16
	1108	0.541				0.541	2		
	1109	0.43	1.429	1.281		3.14	1	WOOD	13 X 53
	1110	1.2	0.8			2	3		
	1111	1.2				1.2	3		
	1112	2.425		1		3.425	2		
	1113	0.7				0.7	2		
	1114	1.088	0.373			1.461	3		
	1115	0.8		0.3		1.1	2		
	1116	6.942	1.823	0.915		9.68	2		
	1117	1.1				1.1	2		
	1118	0.931	0.391			1.322	2		
	1119	1.577				1.577	2		
	1120	2.566				2.566	2	CONCR.	20 X 62
	1122	0.431	0.6	0.6		1.631	1		
2019	1123	3.1				3.1	3		
2019	1124			1.7		1.7	2	STATE CEMENT	26 X 16
	1125		0.753	1.547		2.3	1	CONCR.	17 X 40
	1126	2.275				2.275	1		
	1127	3.932				3.932	1		
	1130		2.42	0.951		3.371	1		
	1131	4.6	1.485			6.085	3		
	1134	1.147				1.147	3		
	1135	2.4				2.4	2		
	1136	0.701	0.889	0.5		2.09	2	WOOD	14 X 16
	1137	1.447				1.447	2		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	1138	2.845		1		3.845	2	WOOD	22 X 15
	1139		0.308	0.741		1.049	1	ST/CMT	15'6" X 54
	1140		0.155			0.155	2	WOOD	9 X 13
	1142	0.434	0.743			1.177	1		
	1143	2.074	0.27			2.344	2		
	1144	2.39		0.591		2.981	3		
	1145	1.1				1.1	4		
	1146	0.96		2.94		3.9	1	16 X 40	STEEL
								17 x 42	
	1147			0.3		0.3	1		
	1148		0.292			0.292	1		
	1149	1.705		1.185		2.89	2	WOOD	14 X 14
	1150		0.136			0.136	1		
	1151	1.629		0.894		2.523	2		
	1152	1.726	0.132	1.742		3.6	1	WOOD	15 X 42
								CONCRT	18 x 48
	1153	1.1				1.1	2		
	1154	1.087		0.545		1.632	3	ST/CMT	16X68
	1155	1.751		0.582		2.333	2	ST/CMT	20X30
	1156	0.125		1.254		1.379	1		
	1157	1.716	2.926	0.243		4.885	1	WOOD	16 X 28
	1158	0.875	0.663			1.538	3		
	1159	2.329	0.279	0.371		2.979	1		
	1160	0.968				0.968	2		
	1161	0.8				0.8	3		
	1162	0.473				0.473	3		
	1163	3.769	0.382			4.151	3	STW/D	17X40
	1164	0.44	0.609	1.575		2.624	2	WOOD	14 X 12
	1165	2.577	0.2	0.65		3.427	2	WOOD	18 X 16
	1166	0.824				0.824	1		
	1167	0.382				0.382	3		
	1168	0.3	0.48	0.448		1.228	2	WOOD	14 X 12
	1169	0.6		0.5		1.1	2		
	1170	1.9				1.9	2		
	1171	1.97		0.86		2.83	2		
	1172	1				1	2		
	1173	0.7	0.733			1.433	3	ST/CMT	16 x 18
	1174	3.344	0.434	0.366		4.144	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	1175	0.917		0.2		1.117	2		
	1176	0.413	0.618			1.031	3		
	1177	1.678				1.678	4		
	1178	0.558				1.889	3	CONCRT	20 x 41
	1179	1.924				1.924	2		
	1180	0.103		0.182		1.059	2	CONCRT	17 x 36
	1181	1.72				1.72	3		
	1182		0.409			0.409	1		
	1183	1.855				1.855	2		
	1184	0.395				0.395	2		
	1185	1.96		0.455		2.952	1		
	1186			0.944	2.486	3.43	3	CONCRT	22 x 31
	1187	1.33			0.344	1.674	3		
	1188	0.395				0.395	3		
	1189			0.87		1.239	2		
2003	1190	0.795	0.476	0.795		2.066	2		
	1191	0.082		0.09		0.172	1		
	1192	0.189		0.1		0.289	1		
	1193	0.701	0.474	0.754		1.929	1		
	1194	1.273	0.075	1.128		2.476	1		
	1195	0.8	1.244			2.044	1		
	1196	3.334				3.334	2		
	1197	0.559				0.559	2		
	1198	0.649	0.189			0.838	2		
	1199	0.519				0.519	2		
	1200	0.331				0.331	3		
	1201		0.166			0.166	1		
	1203	0.161				0.161	1		
	1209		0.478			0.478	3		
	1211	0.714				0.714	3		
	1212			0.3		0.3	3		
	1213	0.364				0.364	3		
	1214		0.535			0.535	2		
	1216		0.442			0.442	1		
	1217		0.356			0.356	3		
1996	1218	0.948				0.948	3		
	1219		0.274			0.274	1		
	1220		0.464			0.464	1		
1992	1221		0.198			0.198	1		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	1436	1.365				1.365	1		
	1438			1.139		1.139	1		
	1439	3.6				3.6	2		
	1440	1.161				1.161	1	CONCRT	27 x 79
	1441	1.3	0.146	1.054		2.5	1		
	1442	3.113				3.113	1	WOOD	20 x 20
	1443	1.784				1.784	2		
	1444	2.721				2.721	2	CONCRT	18 x 27
	1445	1.7				1.7	3		
	1455		0.171			0.171	2		
	1469	0.341				0.341	2		
	briarwood street	0.402				0.402	3		
	briarwood circle	0.269				0.269	3		
	briarwood lane	0.331				0.331	3		
	briarwood place	0.229				0.229	3		
	briarwood drive	0.146				0.146	3		
	briarwood road	0.061				0.061	3		
	total mileage:	142.375	33.076	38.493		213.944			

Amended - 02/12/2024

Mickey Barker, Commissioner - Precinct 1

COUNTY ROAD INVENTORY 2018 - HOPKINS COUNTY PRECINCT 2

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	ROAD CONDIT	BRIDGE SIZE & TYPE	
	2174	4.25				4.25	3		
	2300	2.11				2.11	3		
	2301	5.48				5.48	3		
	2302	0.8				0.8	3		
	2303	0.5				0.5	3		
	2304	1.35				1.35	3		
	2305	0.4				0.4	3		
	2306		0.31			0.31	3		
	2307	1.9	1.2			3.1	3		
	2308	2.86				2.86	3		
	2309	3.43				3.43	2	24 X 80	CEMENT
	2310	10.26				10.26	2	20 X 30	CEMENT
1999	2313			0.52		0.52	2		
	2314	0.2		1		1.2	2		
	2315	0.32				0.32	2		
	2316	2.2	1.1			3.3	3		
	2317			0.56		0.56	3		
	2318	0.6				0.6	3		
	2319	2.25				2.25	3		
	2320	2.61				2.61	2		
	2321	2.1				2.1	2		
	2322	4.26				4.26	3		
	2323			0.57		0.57	2		
	2324	4.2		1.4		5.6	3		
	2325	1.61				1.61	2		
	2326	1.3				1.3	3		
	2327	0.25		0.45		0.7	3		
	2328		1.13			1.13	3		
	2329	1.8				1.8	3		
	2330	1.3				1.3	3		
	2331	3.6				3.6	3		
	2332	1.72				1.72	3		
	2333	5.21				5.21	3		

COUNTY ROAD INVENTORY 2018 - HOPKINS COUNTY PRECINCT 2

2335	0.6		1.9		2.5	3		
2336	3.1				3.1	3		
2337	0.7				0.7	2		
2339	0.22				0.22	3		
2341	2.49				2.49	2		
2345	0.42				0.42	3		
2346	4.4		2.61		7.01	3		
2347			0.36		0.36	3		
2348	1.1				1.1	3		
2375	1.8				1.8	4		
2376	1		1.5		2.5	3		
2377	0.4	3.6			4	2		
2379	2				2	3		
2381	3.9	0.76			4.66	2		
2382	1.51				1.51	2		
2383	3.22				3.22	2		
2384	0.6				0.6	3		
2386	2.43				2.43	3		
2387	0.72				0.72	3		
2388	1.2				1.2	3		
2389	2.2		0.3		2.5	3		
2390	5.42				5.42	3		
2391	2.78				2.78	3		
2392	1				1	3		
2393	3.49				3.49	3		
2394		0.4			0.4	2		
2395	1				1	2		
2396	0.62				0.62	2		
2397	0.89				0.89	2		
2398	0.41				0.41	2		
2399	1.83		0.48		2.31	2		
2400	2.88				2.88	3		
2401	1.2				1.2	3		
2402	2.7				2.7	3		
2403	3.68	1.4			5.08	2		
2404	0.3		0.5		0.8	3		

COUNTY ROAD INVENTORY 2018 - HOPKINS COUNTY PRECINCT 2

2405	0.6			0.6	3		
2406			0.4	0.4	3		
2407	1.72			1.72	3		
2408	4.65			4.65	3		
2409		0.91		0.91	2		
2410	3.1			3.1	2	6 X 20	CEMENT
2412	0.6			0.6	3		
2413	1.3			1.3	3		
2414	0.6	0.8		1.4	3		
2415	4.43	0.77		5.2	4		
2416		0.2		0.2	3		
2417	0.4			0.4	4		
2418	0.2			0.2	3		
2419	0.3			0.3	3		
2420	1.8			1.8	3	60 x 30	cement
2421	2.73			2.73	3		
2422			1.4	1.4	3		
2423	1.7			1.7	3		
2424	0.42			0.42	3		
2425		2.9		2.9	3		
2426	3.7			3.7	3		
2427	0.5			0.5	3		
2428	1.7	2		3.7	3		
2429	0.4			0.4	3		
2430	0.5			0.5	3		
2431	2.82			2.82	3		
2432		0.2		0.2	3		
2433	0.68			0.68	2		
2434	0.35			0.35	2		
2435	1.65			1.65	3		
2436	4.5			4.5	2	30 x 24	
2437	2.45			2.45	2		
2439	1.53			1.53	3		
2446			0.58	0.58	3		
2447	7.3			7.3	3		
2449	0.33			0.33	3		

COUNTY ROAD INVENTORY 2018 - HOPKINS COUNTY PRECINCT 2

1992	2450	0.5			0.5	3		
	2452	0.31			0.31	3		
	2453	0.2			0.2	3		
	2454	0.72			0.72	3		
	2458	0.11			0.11	3		
	2460	0.43			0.43	3		
	2461			0.32	0.32	3		
	2463			0.61	0.61	3		
	2464	0.25			0.25	3		
	2465	2.11			2.11	3		
	2466		0.4		0.4	3		
	2467			0.32	0.32	3		
1995	2468		0.3		0.3	3		
	2470			0.3	0.3	3		
	2471	0.2			0.2	3		
	2472			0.2	0.2	3		
	2473	0.4			0.4	3		
	2474		1.1		1.1	3		
2015	Dolly Road	0.35			0.35	3		
2015	Ely Drive	0.1			0.1	3		
2015	Shawn Drive	0.5			0.5	3		
2015	Katrina Drive	0.2			0.2	3		
2015	Coyote Creek	0.25			0.25	3		
2015	Wylie Drive	0.5			0.5	3		
	TOTALS	191.17	19.48	16.28	226.93			

2004 David Owens Subdivision

2015 Honey Suckle Creek Estates Phase III Subdivision

Amended - 02/12/2024



 Greg Anglin, Commissioner - Precinct 2

COUNTY ROAD INVENTORY 2019 - HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT									
YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
					SEAL		SCALE 1-5		
	2174	4.25				4.25	3		
	2300	2.11				2.11	3		
	2301	5.48				5.48	3		
	2302	0.8				0.8	3		
	2303	0.5				0.5	3		
	2304	1.35				1.35	2		
	2305	0.4				0.4	2		
	2306		0.31			0.31	2		
2019	2307	N. SH11	0.2			0.2	3		
	2308		2.86			2.86	3		
	2310		10.26			10.26	3	CEMENT	20 X 30
1999	2313				0.52	0.52	2		
	2314				1	1.2	2		
	2315					0.32	3		
	2316		1.1			3.3	3		
	2317				0.56	0.56	3		
	2318					0.6	3		
	2319					2.25	3		
	2320					2.61	3		
	2321					2.1	3		
	2322					4.26	3	WOOD	14 X 4
	2323				0.57	0.57	3	WOOD	36 X 24
	2324				1.4	5.6	3		
	2325					1.61	3		
	2326					1.3	3		
	2327				0.45	0.7	3		
	2328		1.13			1.13	3		
	2329					1.8	3		
	2330					1.3	3		
	2331					3.6	3		
	2332					1.72	3		
	2333					5.21	3		
	2335				1.9	2.5	3		
	2336					3.1	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	2337	0.7				0.7	3		
	2339	0.22				0.22	3		
	2341	2.49				2.49	3		
	2345	0.42				0.42	3		
	2346	4.4		2.61		7.01	3		
	2347			0.36		0.36	3		
	2348	1.1				1.1	3		
	2375	1.8				1.8	3		
	2376	1		1.5		2.5	4		
	2377	0.4	3.6			4	3		
	2379	2				2	4		
	2381	3.9	0.76			4.66	3		
	2382	1.51				1.51	3		
	2383	3.22				3.22	3		
	2384	0.6				0.6	3		
	2386	2.43				2.43	3		
	2387	0.72				0.72	3		
	2388	1.2				1.2	3		
	2389	2.2		0.3		2.5	4		
	2390	5.42				5.42	3		
	2391	2.78				2.78	3		
	2392	1				1	3		
	2393	3.49				3.49	3		
	2394		0.4			0.4	3		
	2395	1				1	3		
	2396	0.62				0.62	3		
	2397	0.89				0.89	3		
	2398	0.41				0.41	3		
	2399	1.83		0.48		2.31	3		
	2400	2.88				2.88	4		
	2401	1.2				1.2	3		
	2402	2.7				2.7	3		
	2403	3.68	1.4			5.08	3		
	2404	0.3		0.5		0.8	3		
	2405	0.6				0.6	3		
	2406			0.4		0.4	3		
	2407	1.72				1.72	3		
	2408	4.65				4.65	3		
	2409		0.91			0.91	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	2410	3.1				3.1	2	CEMENT	6 X 20
	2412	0.6				0.6	3		
	2413	1.3				1.3	3		
	2414	0.6	0.8			1.4	3		
	2415	4.43	0.77			5.2	3		
	2416		0.2			0.2	3		
	2417	0.4				0.4	3		
	2418	0.2				0.2	3		
	2419	0.3				0.3	3		
	2420	1.8				1.8	3	CEMENT	60 x 30
	2421	2.73				2.73	3		
	2422			1.4		1.4	3		
	2423	1.7				1.7	3		
	2424	0.42				0.42	3		
	2425		2.9			2.9	3		
	2426	3.7				3.7	3		
	2427	0.5				0.5	3		
	2428	1.7	2			3.7	3		
	2429	0.4				0.4	2		
	2430	0.5				0.5	3		
	2431	2.82				2.82	3		
	2432		0.2			0.2	3		
	2433	0.68				0.68	2		
	2434	0.35				0.35	3		
	2435	1.65				1.65	3		
	2436	4.5				4.5	3		30 x 24
	2437	2.45				2.45	3		
	2439	1.53				1.53	3		
	2446			0.58		0.58	3		
	2447	7.3				7.3	3		
	2449	0.33				0.33	3		
1992	2450	0.5				0.5	3		
	2452	0.31				0.31	3		
	2453	0.2				0.2	3		
	2454	0.72				0.72	3		
	2458	0.11				0.11	3		
	2460	0.43				0.43	3		
	2461			0.32		0.32	3		
	2463			0.61		0.61	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	2464	0.25				0.25	3		
	2465	2.11				2.11	3		
	2466		0.4			0.4	3		
	2467			0.32		0.32	3		
1995	2468		0.3			0.3	3		
	2470			0.3		0.3	3		
	2471	0.2				0.2	3		
	2472			0.2		0.2	3		
	2473	0.4				0.4	3		
	2474		1.1			1.1	3		
2015	Dolly Road	0.35				0.35	3		
2015	Ely Drive	0.1				0.1	3		
2015	Shawn Drive	0.5				0.5	3		
2015	Katrina Drive	0.2				0.2	3		
2015	Coyote Creek	0.25				0.25	3		
2015	Wylie Drive	0.5				0.5	3		
	TOTALS	186.04	18.28	16.28		220.6			

2004 David Owens Subdivision

2015 Honey Suckle Creek Estates Phase III Subdivision

Amended - 02/12/2024



Greg Anglin, Commissioner - Precinct 2

COUNTY ROAD INVENTORY 2020 - HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT									
YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2174	4.25				4.25	3		
	2300	2.11				2.11	3		
	2301	5.48				5.48	3		
	2302	0.8				0.8	3		
	2303	0.5				0.5	3		
	2304	1.35				1.35	3		
	2305	0.4				0.4	3		
	2306		0.31			0.31	3		
2019	2307	N. SH11	0.2			0.2	3		
	2308		2.86			2.86	3		
	2310		10.26			10.26	3	CEMENT	20 X 30
1999	2313				0.52	0.52	3		
	2314				1	1.2	3		
	2315					0.32	3		
	2316		1.1			3.3	3		
	2317				0.56	0.56	3		
	2318					0.6	3		
	2319					2.25	3		
	2320					2.61	3		
	2321					2.1	3		
	2322					4.26	3	WOOD	14 X 4
	2323				0.57	0.57	3	WOOD	36 X 24
	2324				1.4	5.6	3		
	2325					1.61	3		
	2326					1.3	3		
	2327				0.45	0.7	3		
	2328		1.13			1.13	3		
	2329					1.8	3		
	2330					1.3	3		
	2331					3.6	3		
	2332					1.72	3		
	2333					5.21	3		
	2335				1.9	2.5	3		
	2336					3.1	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	2337	0.7				0.7	3		
	2339	0.22				0.22	3		
	2341	2.49				2.49	3		
	2345	0.42				0.42	3		
	2346	4.4		2.61		7.01	3		
	2348	1.1				1.1	4		
	2375	1.8				1.8	3		
	2376	1		1.5		2.5	4		
	2377	0.4	3.6			4	3		
	2379	2				2	4		
	2381	3.9	0.76			4.66	4		
	2382	1.51				1.51	3		
	2383	3.22				3.22	4		
	2384	0.6				0.6	3		
	2386	2.43				2.43	4		
	2387	0.72				0.72	3		
	2388	1.2				1.2	4		
	2389	2.2		0.3		2.5	4		
	2390	5.42				5.42	4		
	2391	2.78				2.78	4		
	2392	1				1	4		
	2393	3.49				3.49	4		
	2394		0.4			0.4	2		
	2395	1				1	3		
	2396	0.62				0.62	3		
	2397	0.89				0.89	3		
	2398	0.41				0.41	3		
	2399	1.83		0.48		2.31	4		
	2400	2.88				2.88	4		
	2401	1.2				1.2	3		
	2402	2.7				2.7	3		
	2403	3.68	1.4			5.08	3		
	2404	0.3		0.5		0.8	3		
	2405	0.6				0.6	3		
	2406			0.4		0.4	3		
	2407	1.72				1.72	3		
	2408	4.65				4.65	4		
	2409		0.91			0.91	3		
	2410	3.1				3.1	4	CEMENT	6 X 20

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	2412	0.6				0.6	3		
	2413	1.3				1.3	3		
	2414	0.6	0.8			1.4	3		
	2415	4.43	0.77			5.2	3		
	2416		0.2			0.2	3		
	2417	0.4				0.4	3		
	2418	0.2				0.2	3		
	2419	0.3				0.3	3		
	2420	1.8				1.8	3	CEMENT	60 x 30
	2421	2.73				2.73	3		
	2422			1.4		1.4	3		
	2423	1.7				1.7	3		
	2424	0.42				0.42	3		
	2425		2.9			2.9	3		
	2426	3.7				3.7	3		
	2427	0.5				0.5	3		
	2428	1.7	2			3.7	3		
	2429	0.4				0.4	3		
	2430	0.5				0.5	3		
	2431	2.82				2.82	3		
	2432		0.2			0.2	3		
	2433	0.68				0.68	3		
	2434	0.35				0.35	3		
	2435	1.65				1.65	3		
	2436	4.5				4.5	3		30 x 24
	2437	2.45				2.45	3		
	2439	1.53				1.53	3		
	2446			0.58		0.58	3		
	2447	7.3				7.3	3		
1992	2450	0.5				0.5	3		
	2452	0.31				0.31	3		
	2453	0.2				0.2	3		
	2454	0.72				0.72	3		
	2458	0.11				0.11	3		
	2460	0.43				0.43	3		
	2461			0.32		0.32	3		
	2463			0.61		0.61	3		
	2464	0.25				0.25	3		
	2465	2.11				2.11	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	2466		0.4			0.4	3		
	2467			0.32		0.32	3		
1995	2468		0.3			0.3	3		
	2470			0.3		0.3	3		
	2471	0.2				0.2	3		
	2472			0.2		0.2	3		
	2473	0.4				0.4	3		
	2474		1.1			1.1	3		
2015	Dolly Road	0.35				0.35	3		
2015	Ely Drive	0.1				0.1	3		
2015	Shawn Drive	0.5				0.5	3		
2015	Katrina Drive	0.2				0.2	3		
2015	Coyote Creek	0.25				0.25	3		
2015	Wylie Drive	0.5				0.5	3		
	TOTALS	185.71	18.28	15.92		219.91			

2004 David Owens Subdivision

2015 Honey Suckle Creek Estates Phase III Subdivision

Amended 02/12/2024



 Greg Anglin, Commissioner - Precinct 2

COUNTY ROAD INVENTORY 2018 - HOPKINS COUNTY PRECINCT 4

<u>Year</u>	<u>COUNTY RD #</u>	<u>MILES OF OIL</u>	<u>MILES OF ROCK</u>	<u>MILES OF DIRT</u>	<u>MILES OF CHIP</u>	<u>TOTAL MILES</u>	<u>ROAD CON</u>	<u>BRIDGE SIZE& TYPE</u>
	4112	1.1				1.1	3	
	4120 E.275	0.8				0.8	2	
	4120 W.275	1.2				1.2	2	
	4123	0.5				0.5	2	
	4124			1.7		1.7	2	26 X 16
	4128	2.8	0.3			3.1	1	STATE CEMENT
	4129	1.6	0.7	1.5		3.8	2	
	4131	3.4				3.4	2	
	4132	1.8				1.8	3	
	4133	1.6	0.3			1.9	3	
	4488	0.2				0.2	2	
	4508	0.8	0.5			1.3	2	
	4510		0.9			0.9	3	
	4574	2.5	1.5			4	2	
	4575	2.6		0.8		3.4	3	40 X 16
	4576		0.6			0.6	3	
	4577		0.8			0.8	3	
	4578	1.2	0.5			1.7	2	
	4579		0.1	1.6		1.7	2	
	4580	0.9	0.2			1.1	2	
	4581	1.7	0.9	1.3		3.9	2	WOOD
	4582	1.2				1.2	1	
	4583			1.1		1.1	2	
	4586	3.1	0.8			3.9	3	
	4587	0.5				0.5	2	
	4588	1.6				1.6	2	STEEL
	4589	0.8	0.2			1	3	
	4590	0.2				0.2	2	
	4591	0.9	0.7	0.6		2.2	3	
	4592	1.9				1.9	2	
	4593 TIRA		0.3			0.3	2	
	4612	1.6				1.6	3	
	4613	0.5				0.5	3	

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD CON	BRIDGE SIZE& TYPE
	4614		0.1			0.1	3	
1997	4615	0.9				0.9	4	
	4616	0.7				0.7	3	
	4618		0.3			0.3	2	
	4630		0.1			0.1	2	
	4700	0.7		1.5		2.2	2	STEEL
	4701	0.4				0.4	4	
	4702	0.5	0.3			0.8	2	
	4704	0.5				0.5	2	
	4703		1.4			1.4	2	
	4705	0.4				0.4	3	
	4706	1.1				1.1	3	
	4707	3.5				3.5	4	
	4708	3.4				3.4	3	STATE CEMENT
								STATE CEMENT
	4709	0.3				0.3	3	
	4710	0.7	0.5			1.2	4	STATE CEMENT
	4711	1.7	0.4	1.1		3.2	2	STATE CEMENT
	4712	2.9	1.4			4.3	3	40 X 14 26 X 16 STATE CEMENT WOOD
	4713	0.4	0.1	0.5		1	3	
	4714	1.3		1.5		2.8	3	28.5 X 16 STEEL
	4715	0.8				0.8	2	
	4716	1.4				1.4	2	
	4717	0.2	0.4	0.5		1.1	2	
	4718	0.1				0.1	2	
	4719	1.9	0.2	0.6		2.7	2	4 X 24 52 X 26 CEMENT ST/CMT
	4720		1.9	3.1		5	3	26 X 13 STATE CEMENT
	4721			1.4		1.4	1	24 X 16 12 X 14 WOOD STEEL
	4722	0.8				0.8	3	
	4723	0.3				0.3	3	
	4724	4.7	1.5	0.2		6.4	2	
	4725	2.7	1.7			4.4	2	30 X 14 STATE
	4726	0.9				0.9	2	

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD CON	BRIDGE SIZE& TYPE
	4727	0.2				0.2	3	
	4728	0.5	1.3	0.2		2	2	
	4729	0.1	0.8			0.9	2	
	4730	0.6				0.6	3	
	4731	0.4				0.4	2	
	4732 E.of 275	1.3				1.3	2	3-4X30 CULVERTS
	4732 W.of 275	0.1	0.6	0.7		1.4	2	
	4733	0.1	0.1			0.2	3	
	4734	0.8				0.8	3	STEEL
	4735	0.7				0.7	2	
	4736	0.6				0.6	4	
	4737	1.4				1.4	3	
	4738	0.9	5.3			6.2	3	65 X 26 ST/CMT
	4739		0.4			0.4	3	
	4740		0.6	0.9		1.5	4	
	4741		0.9			0.9	3	CULVERT
	4742		0.3	0.3		0.6	3	
	4743	1.6				1.6	3	
	4744	3.1	4.3			7.4	3	30 X 15 STATE CEMENT
	4745		1.1			1.1	2	
	4746		0.1	0.7		0.8	4	14 X 11 CULVERTS
	4747	0.4		0.4		0.8	2	
	4748	0.4				0.4	3	
	4749	0.3		1.1		1.4	2	
	4750		0.8			0.8	3	
	4751	0.4				0.4	3	
	4752	1.9	1	1.7		4.6	2	
	4753		1.1			1.1	3	
	4754	1.6	0.8			2.4	2	
	4755	1.1				1.1	2	
	4756	0.6				0.6	2	
	4757	0.4				0.4	3	
	4758	0.5				0.5	3	
1996	4759	2.5				2.5	2	
	4760	4.4	1.1	2.1		7.6	2	25 X 14 CEMENT STATE
	4761	2.7				2.7	4	

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD CON	BRIDGE SIZE& TYPE
	4762	2.8				2.8	2	
	4763	2.8	1.4			4.2	2	WOOD
	4764	1.9				1.9	3	STATE CEMENT
	4765		0.6			0.6	2	
	4766	4.1	0.3			4.4	2	WOOD
	4767	2.3				2.3	2	WOOD
	4768 S.of 71	1.8				1.8	3	STATE CEMENT
	4768 N.of 71	1.1	0.2			1.3	3	
	4769	1.8				1.8	4	STATE CEMENT
1996	4770	0.3				0.3	2	
	4771	2.6				2.6	3	STATE CEMENT
	4772	3.3				3.3	3	
	4773		0.2			0.2	3	
	4775	1.2				1.2	2	
	4776	0.2				0.2	2	
	4777	3.5				3.5	2	STATE CEMENT
	4778	1.1				1.1	3	
	4779	1.3		0.2		1.5	3	
	4781			3.5		3.5	3	
	4782		0.7			0.7	3	
	4783	0.1				0.1	3	
	4784	0.6				0.6	4	
	4785	0.1				0.1	3	
	4786	0.3				0.3	3	
	4787	0.2				0.2	2	
	4788			0.6		0.6	2	
	4789	0.4				0.4	3	
	4790	0.3				0.3	2	
	4791	0.7				0.7	3	
	4792		0.7			0.7	3	
	4794	0.1	0.2			0.3	3	
1992	4795				0.6	0.6	1	
	4796	0.1		0.1		0.2	2	
	4797	0.2				0.2	2	
	4798	0.6		0.4		1	1	

Year	COUNTY RD #	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	ROAD CON	BRIDGE SIZE& TYPE
	4799		0.4			0.4	3	
	4800		0.3			0.3	2	
	4801		0.7			0.7	3	
	4802	0.1				0.1	4	
	4803		0.4			0.4	3	
	4804		0.7			0.7	2	
	4805		0.2			0.2	2	
	4806		0.3			0.3	2	4 FT CULVERT
	4807		0.1			0.1	1	
	4808		0.2			0.2	3	
	4809		0.3	0.3		0.6	3	
	4810		1.7			1.7	4	
	4811	0.1				0.1	2	
2003	4812		0.1	0.5		0.6	2	
2003	4813	0.2				0.2	2	
2003	4814	0.3				0.3	2	ST/WD
2003	4815	0.2				0.2	2	
	4816	0.3				0.3	3	
	4817	0.1				0.1	3	
	4818	0.1	RIDGEWAY			0.1	2	
	4819		0.3	CUMBY		0.3	3	
5/23/2005	4820		0.2			0.2	3	
5/23/2005	4821	0.1	Cumby			0.1	3	
	TOTAL	137.1	50.4	32.7	0.6	220.8		

Amended - 02/12/2024



 Joe Price, Commissioner - Precinct 4

COUNTY ROAD INVENTORY 2019 - HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT									
YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
					SEAL		SCALE 1-5		
	4112	1.1				1.1	4		
	4120 E.275	0.8				0.8	4		
	4120 W.275	1.2				1.2	5		
	4128	2.8	0.3			3.1	4	STATE CEMENT	
	4129	1.6	0.7	1.5		3.8	2		
	4131	3.4				3.4	3		
	4132	1.8				1.8	3		
	4133	1.6	0.3			1.9	3		
	4488	0.2				0.2	3		
	4508	0.8	0.5			1.3	3		
	4510		0.9			0.9	2		
	4574	2.5	1.5			4	3		
	4575	2.6		0.8		3.4	2	STATE	40 X 16
	4576		0.6			0.6	1		
	4577		0.8			0.8	3		
	4578	1.2	0.5			1.7	4		
	4579		0.1	1.6		1.7	3		
	4580	0.9	0.2			1.1	1		
	4581	1.7	0.9	1.3		3.9	2	WOOD	
	4582	1.2				1.2	2		
	4583			1.1		1.1	2		
	4586	3.1	0.8			3.9	3		
	4587	0.5				0.5	3		
	4588	1.6				1.6	2	STEEL	
	4589	0.8	0.2			1	2		
	4590	0.2				0.2	2		
	4591	0.9	0.7	0.6		2.2	2		
	4592	1.9				1.9	2		
	4593 TIRA		0.3			0.3	3		
	4612	1.6				1.6	2		
	4613	0.5				0.5	2		
	4614		0.1			0.1	2		
1997	4615	0.9				0.9	3		
	4616	0.7				0.7	2		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	4618		0.3			0.3	2		
	4630		0.1			0.1	1		
	4700	0.7		1.5		2.2	1	STEEL	
	4701	0.4				0.4	3		
	4702	0.5	0.3			0.8	3		
	4704	0.5				0.5	2		
	4703		1.4			1.4	2		
	4705	0.4				0.4	3		
	4706	1.1				1.1	2		
	4707	3.5				3.5	2		
	4708	3.4				3.4	3	STATE CEMENT	
								STATE CEMENT	
	4709	0.3				0.3	3		
	4710	0.7	0.5			1.2	3	STATE CEMENT	
	4711	1.7	0.4	1.1		3.2	4	STATE CEMENT	
	4712	2.9	1.4			4.3	2	STATE CEMENT	40 X 14
								WOOD	26 X 16
	4713	0.4	0.1	0.5		1	2		
	4714	1.3		1.5		2.8	4	STEEL	28.5 X 16
	4715	0.8				0.8	4		
	4716	1.4				1.4	2		
	4717	0.2	0.4	0.5		1.1	1		
	4718	0.1				0.1	1		
	4719	1.9	0.2	0.6		2.7	2	CEMENT	4 X 24
								ST/CMT	52 X 26
	4720		1.9	3.1		5	2	STATE CEMENT	26 X 13
	4721			1.4		1.4	2	WOOD	24 X 16
								STEEL	12 X 14
	4722	0.8				0.8	3		
	4723	0.3				0.3	4		
	4724	4.7	1.5	0.2		6.4	2		
	4725	2.7	1.7			4.4	3	STATE	30 X 14
	4726	0.9				0.9	3		
	4727	0.2				0.2	4		
	4728	0.5	1.3	0.2		2	2		
	4729	0.1	0.8			0.9	2		
	4730	0.6				0.6	3		
	4731	0.4				0.4	3		
	4732	E.of 275	1.3			1.3	2	CULVERTS	3-4X30

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	4732 W.of 275	0.1	0.6	0.7		1.4	1		
	4733	0.1	0.1			0.2	2		
	4734	0.8				0.8	3	STEEL	
	4735	0.7				0.7	2		
	4736	0.6				0.6	3		
	4737	1.4				1.4	2		
	4738	0.9	5.3			6.2	3	ST/CMT	65 X 26
	4739		0.4			0.4	3		
	4740		0.6	0.9		1.5	3		
	4741		0.9			0.9	3	CULVERT	
	4742		0.3	0.3		0.6	2		
	4743	1.6				1.6	2		
	4744	3.1	4.3			7.4	2	STATE CEMENT	30 X 15
	4745		1.1			1.1	2		
	4746		0.1	0.7		0.8	3	CULVERTS	14 X 11
	4747	0.4		0.4		0.8	2		
	4748	0.4				0.4	2		
	4749	0.3		1.1		1.4	4		
	4750		0.8			0.8	3		
	4751	0.4				0.4	3		
	4752	1.9	1	1.7		4.6	3		
	4753		1.1			1.1	2		
	4754	1.6	0.8			2.4	3		
	4755	1.1				1.1	3		
	4756	0.6				0.6	2		
	4757	0.4				0.4	2		
	4758	0.5				0.5	3		
1996	4759	2.5				2.5	2		
	4760	4.4	1.1	2.1		7.6	3	CEMENT STATE	25 X 14
	4761	2.7				2.7	4		
	4762	2.8				2.8	4		
	4763	2.8	1.4			4.2	2	WOOD	
	4764	1.9				1.9	2	STATE CEMENT	
	4765		0.6			0.6	1		
	4766	4.1	0.3			4.4	2	WOOD	
	4767	2.3				2.3	3	WOOD	
	4768 S.of 71	1.8				1.8	2	STATE CEMENT	
	4768 N.of 71	1.1	0.2			1.3	3		
	4769	1.8				1.8	4	STATE CEMENT	

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
1996	4770	0.3				0.3	3		
	4771	2.6				2.6	2	STATE CEMENT	
	4772	3.3				3.3	3		
	4773		0.2			0.2	3		
	4775	1.2				1.2	3		
	4776	0.2				0.2	2		
	4777	3.5				3.5	3	STATE CEMENT	
	4778	1.1				1.1	4		
	4779	1.3		0.2		1.5	4		
	4781			3.5		3.5	2		
	4782		0.7			0.7	3		
	4783	0.1				0.1	3		
	4784	0.6				0.6	2		
	4785	0.1				0.1	4		
	4786	0.3				0.3	3		
	4787	0.2				0.2	3		
	4788			0.6		0.6	2		
	4789	0.4				0.4	3		
	4790	0.3				0.3	2		
	4791	0.7				0.7	4		
	4792		0.7			0.7	4		
	4794	0.1	0.2			0.3	2		
1992	4795				0.6	0.6	2		
	4796	0.1		0.1		0.2	3		
	4797	0.2				0.2	3		
	4798	0.6		0.4		1	2		
	4799		0.4			0.4	4		
	4800		0.3			0.3	2		
	4801		0.7			0.7	4		
	4802	0.1				0.1	3		
	4803		0.4			0.4	2		
	4804		0.7			0.7	3		
	4805		0.2			0.2	3		
	4806		0.3			0.3	3	CULVERT	4 FT
	4807		0.1			0.1	2		
	4808		0.2			0.2	3		
	4809		0.3	0.3		0.6	2		
	4810		1.7			1.7	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	4811	0.1				0.1	2		
2003	4812		0.1	0.5		0.6	3		
2003	4813	0.2				0.2	3		
2003	4814	0.3				0.3	3	ST/WD	
2003	4815	0.2				0.2	2		
	4816	0.3				0.3	4		
	4817	0.1				0.1	3		
	4818	0.1	RIDGEWAY			0.1	3		
	4819		0.3	CUMBY		0.3	3		
5/23/2005	4820		0.2			0.2	4		
5/23/2005	4821	0.1	CUMBY			0.1	4		
	TOTAL	136.6	50.4	31	0.6	218.6			

Amended - 02/12/2024



 Joe Price, Commissioner - Precinct 4

COUNTY ROAD INVENTORY 2020 - HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT									
YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
					SEAL		SCALE 1-5		
	4112	1.1				1.1	3		
	4120	E.275	0.8			0.8	3		
	4120	W.275	1.2			1.2	4		
	4128		2.8	0.3		3.1	3	STATE CEMENT	
	4129		1.6	0.7	1.5	3.8	3		
	4131		3.4			3.4	3		
	4132		1.8			1.8	2		
	4133		1.6	0.3		1.9	3		
	4488		0.2			0.2	2		
	4508		0.8	0.5		1.3	2		
	4510			0.9		0.9	3		
	4574		2.5	1.5		4	3		
	4575		2.6		0.8	3.4	2	STATE	40 X 16
	4576			0.6		0.6	2		
	4577			0.8		0.8	2		
	4578		1.2	0.5		1.7	3		
	4579			0.1	1.6	1.7	3		
	4580		0.9	0.2		1.1	2		
	4581		1.7	0.9	1.3	3.9	3	WOOD	
	4582		1.2			1.2	3		
	4583				1.1	1.1	1		
	4586		3.1	0.8		3.9	2		
	4587		0.5			0.5	5		
	4588		1.6			1.6	3	STEEL	
	4589		0.8	0.2		1	4		
	4590		0.2			0.2	3		
	4591		0.9	0.7	0.6	2.2	2		
	4592		1.9			1.9	3		
	4593	TIRA		0.3		0.3	2		
	4612		1.6			1.6	2		
	4613		0.5			0.5	2		
	4614			0.1		0.1	2		
1997	4615		0.9			0.9	2		
	4616		0.7			0.7	2		


YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	4618		0.3			0.3	2		
	4630		0.1			0.1	1		
	4700	0.7		1.5		2.2	1	STEEL	
	4701	0.4				0.4	2		
	4702	0.5	0.3			0.8	2		
	4704	0.5				0.5	1		
	4703		1.4			1.4	4		
	4705	0.4				0.4	4		
	4706	1.1				1.1	3		
	4707	3.5				3.5	3		
	4708	3.4				3.4	3	STATE CEMENT	
								STATE CEMENT	
	4709	0.3				0.3	3		
	4710	0.7	0.5			1.2	3	STATE CEMENT	
	4711	1.7	0.4	1.1		3.2	3	STATE CEMENT	
	4712	2.9	1.4			4.3	2	STATE CEMENT	40 X 14
								WOOD	26 X 16
	4713	0.4	0.1	0.5		1	4		
	4714	1.3		1.5		2.8	3	STEEL	28.5 X 16
	4715	0.8				0.8	4		
	4716	1.4				1.4	2		
	4717	0.2	0.4	0.5		1.1	1		
	4718	0.1				0.1	1		
	4719	1.9	0.2	0.6		2.7	4	CEMENT	4 X 24
								ST/CMT	52 X 26
	4720		1.9	3.1		5	3	STATE CEMENT	26 X 13
	4721			1.4		1.4	3	WOOD	24 X 16
								STEEL	12 X 14
	4722	0.8				0.8	4		
	4723	0.3				0.3	4		
	4724	4.7	1.5	0.2		6.4	3		
	4725	2.7	1.7			4.4	3	STATE	30 X 14
	4726	0.9				0.9	3		
	4727	0.2				0.2	4		
	4728	0.5	1.3	0.2		2	3		
	4729	0.1	0.8			0.9	2		
	4730	0.6				0.6	2		
	4731	0.4				0.4	4		
	4732	E.of 275	1.3			1.3	3	CULVERTS	3-4X30

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	4732 W.of 275	0.1	0.6	0.7		1.4	3		
	4733	0.1	0.1			0.2	2		
	4734	0.8				0.8	4	STEEL	
	4735	0.7				0.7	4		
	4736	0.6				0.6	4		
	4737	1.4				1.4	4		
	4738	0.9	5.3			6.2	4	ST/CMT	65 X 26
	4739		0.4			0.4	3		
	4740		0.6	0.9		1.5	3		
	4741		0.9			0.9	4	CULVERT	
	4742		0.3	0.3		0.6	4		
	4743	1.6				1.6	3		
	4744	3.1	4.3			7.4	2	STATE CEMENT	30 X 15
	4745		1.1			1.1	2		
	4746		0.1	0.7		0.8	2	CULVERTS	14 X 11
	4747	0.4		0.4		0.8	3		
	4748	0.4				0.4	4		
	4749	0.3		1.1		1.4	3		
	4750		0.8			0.8	3		
	4751	0.4				0.4	2		
	4752	1.9	1	1.7		4.6	4		
	4753		1.1			1.1	3		
	4754	1.6	0.8			2.4	4		
	4755	1.1				1.1	3		
	4756	0.6				0.6	2		
	4757	0.4				0.4	1		
	4758	0.5				0.5	4		
1996	4759	2.5				2.5	3		
	4760	4.4	1.1	2.1		7.6	3	CEMENT STATE	25 X 14
	4761	2.7				2.7	4		
	4762	2.8				2.8	3		
	4763	2.8	1.4			4.2	3	WOOD	
	4764	1.9				1.9	2	STATE CEMENT	
	4765		0.6			0.6	2		
	4766	4.1	0.3			4.4	3	WOOD	
	4767	2.3				2.3	3	WOOD	
	4768 S.of 71	1.8				1.8	2	STATE CEMENT	
	4768 N.of 71	1.1	0.2			1.3	4		
	4769	1.8				1.8	4	STATE CEMENT	

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
1996	4770	0.3				0.3	2		
	4771	2.6				2.6	2	STATE CEMENT	
	4772	3.3				3.3	3		
	4773		0.2			0.2	3		
	4775	1.2				1.2	3		
	4776	0.2				0.2	3		
	4777	3.5				3.5	3	STATE CEMENT	
	4778	1.1				1.1	4		
	4779	1.3		0.2		1.5	4		
	4781			3.5		3.5	2		
	4782		0.7			0.7	3		
	4783	0.1				0.1	3		
	4784	0.6				0.6	3		
	4785	0.1				0.1	4		
	4786	0.3				0.3	4		
	4787	0.2				0.2	4		
	4788			0.6		0.6	1		
	4789	0.4				0.4	3		
	4790	0.3				0.3	3		
	4791	0.7				0.7	4		
	4792		0.7			0.7	3		
	4794	0.1	0.2			0.3	2		
1992	4795				0.6	0.6	2		
	4796	0.1		0.1		0.2	2		
	4797	0.2				0.2	3		
	4798	0.6		0.4		1	2		
	4799		0.4			0.4	4		
	4800		0.3			0.3	3		
	4801		0.7			0.7	3		
	4802	0.1				0.1	2		
	4803		0.4			0.4	3		
	4804		0.7			0.7	3		
	4805		0.2			0.2	3		
	4806		0.3			0.3	2	CULVERT	4 FT
	4807		0.1			0.1	3		
	4808		0.2			0.2	4		
	4809		0.3	0.3		0.6	3		
	4810		1.7			1.7	3		

YEAR	COUNTY ROAD NUMBER	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP	TOTAL MILES	RD CONDITION	BRIDGE TYPE	BRIDGE SIZE
	4811	0.1				0.1	2		
2003	4812		0.1	0.5		0.6	3		
2003	4813	0.2				0.2	3		
2003	4814	0.3				0.3	2	ST/WD	
2003	4815	0.2				0.2	3		
	4816	0.3				0.3	4		
	4817	0.1				0.1	4		
	4818	0.1	RIDGEWAY			0.1	3		
	4819		0.3	CUMBY		0.3	3		
5/23/2005	4820		0.2			0.2	3		
5/23/2005	4821	0.1	CUMBY			0.1	3		
	4822				0.1		4		
	4823				0.4		4		
	TOTAL	136.6	50.4	31	1.1	219.1			

Amended 02/12/2024



Joe Price, Commissioner - Precinct 4