



Configuration: Hopkins County Dispatch	
▶	1- New Canon iR ADV DX C5850i
▶	Cassette Feeding Unit-AQ1
▶	Inner Tray (1st Copy Tray Kit-A1)
▶	Super G3 FAX Board-AX1

Datamax Leasing Option: Datamax State of Texas DIR FMV Lease		
▶	60 Month Term	\$235.42

imageCare™ Total Care Service Agreement: [Includes 5 Year Performance Guarantees]		
▶	Monthly All-Inclusive Service Plan: State of Texas DIR CPC Service	DIR CPC
▶	<i>Includes all service calls, preventive maintenance calls, electrical and mechanical parts, fuser oil, staples, drums and toner at no additional charge.</i>	
▶	<i>Excludes supplies such as paper.</i>	
▶	ALL Black Impressions to be invoiced at:	\$0.0083
▶	ALL Color Impressions to be invoiced at:	\$0.0531

Systems Implementation & Support:
<i>Includes:</i>
▶ Delivery, Installation & Networking
▶ MAXimizer Learning® Stand-Alone Training
▶ ConnectCare™ Guarantees (if connected)
▶ PrintView™ Proactive Service & Toner

Additional Datamax Benefits:
<i>Includes:</i>
▶ Total Satisfaction Guarantees
▶ 4 Hour On-Site Response Time Guarantee
▶ Partnership Reviews for Solution Optimization
▶ Free Next-day Shipping of Contract Toner

The above prices do not reflect applicable taxes.


PROPRIETARY NOTES: All the prices and conditions in this proposal are valid for thirty [30] days from the date of proposal unless extended in writing or upon acceptance by Datamax Inc. All information in this proposal is to be considered proprietary and property of Datamax Inc. All documentation and proposal information will be returned to Datamax at its request. Only those identified parties within that are part of the decision-making committee will have access to this proposal. Nothing in this proposal shall be copied, distributed or used by without written authorization of Datamax Inc.





Contract Acknowledgement in lieu of Purchase Order

I, Robert Newsom, as an authorized agent of Hopkins County am making
(Purchasing Agent Name) *(Agency Name)*
the attached purchase ~~(lease)~~ rental as specified in agreement P03202024 JW under the
(circle procurement type) *(Purchase Agreement Number)*
terms and conditions of State/Association Contract Number DIR-CPO-4437
(State/Association Contract Number)


Signature

County Judge
Title

3-25-24
Date



imageRUNNER
ADVANCE DX
C5870i/C5860i
C5850i/C5840i

imageRUNNER ADVANCE DX C5800 Series

Print up to 70 ppm (BW/color)

Scan up to 270 ipm (300 dpi) (BW/color, duplex)

Print up to 12" × 18"

6,350-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE DX multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.

Color
Mid-volume
Multifunction



WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder and automatically print with pre-defined settings such as number of copies and finishing requirements.



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM*² systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control³ utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.⁴



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for consistently striking images, thanks to Canon's V² color profile.
- Designed to achieve maximum uptime with status notifications that help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

* Security Information and Event Management.

Main Unit**Type**

Color Laser Multifunctional

Core FunctionsStandard: Print, Copy, Scan, Send, Store
Optional: Fax**Control Panel**

10.1" TFT LCD WSVGA Color Flat-panel

Memory

5.0 GB RAM

Solid State DriveStandard: 256 GB
Optional: 1 TB**Interface Connection**Network: 1000Base-T/100Base-TX/10Base-T,
Wireless LAN (IEEE 802.11 b/g/n)
Optional: Bluetooth Low Energy**Others**Standard: USB 2.0 (Host) x1, USB 3.0 (Host) x1,
USB 2.0 (Device) x1
Optional: Copy Control Interface**Paper Output Capacity (LTR, 20 lb. Bond)**Standard: 250 Sheets
Maximum: 3,450 Sheets
(with Staple Finisher-AB2 or Booklet Finisher-A1
with Tri-Fold and 3rd Copy Tray Kit-A1)**Paper Sources (LTR, 20 lb. Bond)**Standard: Dual 550-sheet Paper Cassettes,
100-sheet Stack Bypass
Optional: Dual 550-Sheet Paper Cassettes
(Cassette Feeding Unit-AQ1), 2,450-Sheet
High Capacity Paper Cassette (High
Capacity Cassette Feeding Unit-C1),
2,700-Sheet Paper Deck
(Paper Deck Unit-F1)**Paper Capacity (LTR, 20 lb. Bond)**Standard: 1,200 Sheets
Maximum: 6,350 Sheets**Finishing Capabilities**Standard: Collate, Group
With Options: Collate, Group, Offset, Staple, Saddle-
Stitch, Hole Punch, Staple Free Stapling,
Staple On Demand⁶**Supported Media Types**Multi-Purpose Tray: Thin, Plain, Recycled, Color, Heavy, Coated,
Tracing, Bond, Transparency, Label,
Pre-punched, Letterhead, Tab, Envelope
Paper: Thin, Plain, Recycled, Color, Heavy, Bond,
Cassettes: Transparency, Pre-punched, Letterhead,
Envelope⁷**Supported Media Sizes**Upper Cassette: Letter, Executive, Statement-R, Envelope
[No.10 (COM10), Monarch, DL, ISO-C5],
Custom Size (3-7/8" x 5-7/8" to 11-3/4"
x 8-1/2")
Lower Cassette: 12" x 18", 11" x 17", Legal, Letter, Letter-R,
Executive, Statement-R, Envelope
[No.10 (COM10), Monarch, DL, ISO-C5],
Custom Size (3-7/8" x 5-7/8" to 12" x 18")
Multi-Purpose Tray: 12" x 18", 11" x 17", Legal, Letter, Letter-R,
Executive, Statement, Statement-R,
Envelope [No.10 (COM10), Monarch, DL,
ISO-C5], Envelope Custom Size (3-7/8" x
3-1/2" to 12-5/8" x 18"), Custom Size/
Free Size (3-7/8" x 5-1/2" to 12-5/8" x 18")**Supported Media Weights**Cassettes: 14 lb. Bond to 140 lb. Index (52 to 256 g/m²)
Stack Bypass: 14 lb. Bond to 110 lb. Cover (52 to 300 g/m²)
Duplexing: 14 lb. Bond to 140 lb. Index (52 to 256 g/m²)**Print/Copy Speed (BW and Color)**C5870i: Up to 70 ppm (Letter); Up to 42 ppm
(Letter-R); Up to 40 ppm (Legal);
Up to 35 ppm (11" x 17")
C5860i: Up to 60 ppm (Letter); Up to 36 ppm
(Letter-R); Up to 34 ppm (Legal);
Up to 32 ppm (11" x 17")
C5850i: Up to 50 ppm (Letter); Up to 30 ppm
(Letter-R); Up to 29 ppm (Legal);
Up to 27 ppm (11" x 17")
C5840i: Up to 40 ppm (Letter); Up to 24 ppm
(Letter-R); Up to 23 ppm (Legal);
Up to 21 ppm (11" x 17")**Warm-up Time**From Power On: Approx. 6 Seconds⁸

On:

From Sleep Mode⁹C5870i: Approx. 7 Seconds
C5860i/ C5850i/ C5840i:
Approx. 6 SecondsQuick Startup Mode: Approx. 4 Seconds¹⁰**Dimensions (W x D x H)**24-3/8" x 28-1/2" x 36-7/8" (620 x 722 x 937 mm)¹¹**Installation Space (W x D)**Basic: 44-7/8" x 45-3/4" (1,138 x 1,162 mm)
(Right Cover Open with Multi-purpose
tray extended + Cassette Drawers Open)Fully Configured: 73-1/2" x 45-3/4" (1,866 x 1,162 mm)
(Staple Finisher-AB1 or Booklet Finisher-AB1
with the extension tray extended + Paper
Deck Unit-F1 + Cassette Drawers open)**Weight¹²**C5870i: Approx. 238.1 lb. (108 kg)
C5860i/ C5850i: Approx. 231.5 lb. (105 kg)
C5840i: Approx. 229.3 lb. (104 kg)**Print Specifications****Print Resolution (dpi)**

1200 x 1200

Standard Page Description Languages

UFR II, PCL6, Adobe PS 3

Supported File TypesPDF, TIFF, JPEG, EPS,¹³ XPS**Printing from Mobile Devices and Cloud-based Services**A range of standard and optional software and MEAP-
based solutions (including AirPrint, Mopria, Universal
Print by Microsoft[®], Canon PRINT Business, and uniFLOW
Online) are available to provide printing from mobile
devices or internet-connected devices and cloud-based
services depending on your requirements. Please contact
your sales representative for further information.**Fonts**PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,
Andalé Mono WT J/K/S/T (Japanese,
Korean, Simplified and Traditional
Chinese),¹⁴ Barcode Fonts¹⁵
PS: 136 Roman**Operating System¹⁶**UFR II/PS: Windows[®] 7/8.1/10/Server 2008/Server
2008 R2/Server 2012/Server 2012 R2/
Server 2016/Server 2019, Mac OS X
(10.11 or later)PCL: Windows[®] 7/8.1/10/Server 2008/Server
2008 R2/Server 2012/Server 2012 R2/
Server 2016/Server 2019PPD: Windows[®] 7/8.1/10, Mac OS X (10.10 or later)**Copy Specifications****First-Copy-Out Time**C5870i: As fast as 2.7 seconds (BW)/
3.7 seconds (Color)
C5860i: As fast as 2.9 seconds (BW)/
4.2 seconds (Color)
C5850i: As fast as 3.3 seconds (BW)/
4.9 seconds (Color)
C5840i: As fast as 4.1 seconds (BW)/
6.1 seconds (Color)**Copy Resolution (dpi)**

600 x 600

Multiple Copies

Up to 999

Magnification

25%-400% (1% Increments)

Preset Reductions/Enlargements25%, 50%, 64%, 73%, 78%, 100% (1:1), 121%, 129%,
200%, 400%**Scan Specifications****Type**

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

Up to 200 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes11" x 17", Legal, Letter, Letter-R, Statement, Statement-R,
Custom Size: 2-3/4" x 5-1/2" to 12" x 17"**Document Feeder Supported Media Weights**Single-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220
gsm) (BW, CL)
Double-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220
gsm) (BW, CL)**Platen Acceptable Originals**

Sheet, Book, 3-Dimensional Objects

Pull ScanColor Network ScanGear2 for both Twain and WIA
Supported OS: Windows[®] 7/8.1/10/Server 2008/
Server 2008 R2/Server 2012/
Server 2012 R2/Server 2016**Scan Resolution (dpi)**Scan for Copy: 600 x 600
Scan for Send: (Push) 600 x 600 (SMB/FTP/WebDAV/
iFAX), (Pull) 600 x 600
Scan for Fax: 600 x 600**Scan to Mobile Devices and Cloud-based Services**A range of solutions is available to provide scanning to
compatible mobile devices and certain cloud-based
services depending on your requirements.**Scan Speed (LTR) (BW/CL)**Single-sided Scanning: 135/135 (300 dpi), 80/80 (600 dpi)
Double-sided Scanning: 270/270 (300 dpi), 160/90 (600 dpi)**Send Specifications****Destination**Standard: Email/Internet FAX (SMTP), SMB3.0, FTP,
WebDAV, Mail Box
Optional: Super G3 FAX, IP Fax**Address Book**

LDAP (2,000)/Local (1,600)/Speed Dial (200)

Send Resolution (dpi)Push: Up to 600 x 600
Pull: Up to 600 x 600**Communication Protocol**File: FTP (TCP/IP), SMB3.0 (TCP/IP), WebDAV
Email: SMTP, POP3**File Format**Standard: TIFF, JPEG, PDF (Encrypted, Compact,
Searchable, Apply Policy, Optimize for
Web, User Signature, PDF A/1-b, Limited
Color, Device Signature, User Signature),
XPS (Compact, Searchable, Device
Signature, User Signature), Office Open
XML (PowerPoint, Word)**Fax Specifications (Optional)****Modem Speed**Super G3: 33.6 Kbps
G3: 14.4 Kbps**Compression Method**

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement-R to 11" x 17"

Fax Memory

Up to 30,000 Pages (2,000 jobs)

Speed Dials

Max. 200

Group Dials/Destinations

Max. 199 Dials

Sequential Broadcast

Max. 256 Addresses

Memory Backup

Yes

Disposal Request - Customer Owned Equipment

DATE: **3/20/2024**

COMPANY NAME: **Hopkins County Dispatch**

ADDRESS: **298 Rosemont Street**

CITY: **Sulphur Springs**

STATE: **TX**

ZIP CODE: **75482**

Re: Release of Liability

You are authorizing Datamax Texas to pick up this equipment to have free and clear. Once the equipment is picked up, this equipment is the property of Datamax Texas to dispose of as Datamax wishes holding no liability.

X

Owner/Principal Signature _____

Title _____

Date _____

Datamax Svc Contract

Yes No

X	

Model: **Canon iR C5550i III**

Serial #: **2JG01564**

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

If there are any questions, please contact Datamax at 800-633-1526

By signing this document you are stating, you have sole ownership of the listed Equipment and you are authorizing Datamax Texas to pick up and Dispose.

I understand and accept the above statements: _____

Title of Releasing Party

Date _____

PRINT _____

SIGN _____



Contract Acknowledgement in lieu of Purchase Order

I, Robert Newsom, as an authorized agent of Hopkins County am making
(Purchasing Agent Name) *(Agency Name)*
the attached purchase / lease / rental as specified in agreement P03192024 JW under the
(circle procurement type) *(Purchase Agreement Number)*
terms and conditions of State/Association Contract Number DIR-CPO-4437
(State/Association Contract Number)

Robert Newsom
Signature

County Judge
Title

3-25-24
Date

Disposal Request - Customer Owned Equipment

DATE: 3/19/2024

COMPANY NAME: Hopkins County Arraignment

ADDRESS: 298 Rosemont Street

CITY: Sulphur Springs

STATE: TX

ZIP CODE: 75482

Re: Release of Liability

You are authorizing Datamax Texas to pick up this equipment to have free and clear. Once the equipment is picked up, this equipment is the property of Datamax Texas to dispose of as Datamax wishes holding no liability.

X

Owner/Principal Signature _____

Title _____

Date _____

Datamax Svc Contract

Yes No

X	

Model: Canon iR525iF

Serial #: 2CK06200

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

Model: _____

Serial #: _____

If there are any questions, please contact Datamax at 800-633-1526

By signing this document you are stating, you have sole ownership of the listed Equipment and you are authorizing Datamax Texas to pick up and Dispose.

I understand and accept the above statements: _____

Title of Releasing Party

Date _____

PRINT _____

SIGN _____

Configuration: Hopkins County Jail Arraignment

- | |
|-------------------------|
| ▶ Canon iR ADV DX 529iF |
| ▶ Wireless LAN Board-D1 |

Datamax Leasing Option: Datamax State of Texas DIR FMV Lease		
---	--	--

- | | | |
|------------------------|--|----------------|
| ▶ 60 Month Term | | \$58.89 |
|------------------------|--|----------------|

imageCare™ Total Care Service Agreement: [Includes 5 Year Performance Guarantees]		
--	--	--

- | | |
|--|-----------------|
| ▶ Monthly All-Inclusive Service Plan: State of Texas DIR CPC Service | DIR CPC |
| ▶ <i>Includes all service calls, preventive maintenance calls, electrical and mechanical parts, fuser oil, staples, drums and toner at no additional charge.</i> | |
| ▶ <i>Excludes supplies such as paper.</i> | |
| ▶ ALL Black Impressions to be invoiced at: | \$0.0113 |

Systems Implementation & Support:
--

Includes:

- | |
|--|
| ▶ Delivery, Installation & Networking |
| ▶ MAXimizer Learning® Stand-Alone Training |
| ▶ ConnectCare™ Guarantees (if connected) |
| ▶ PrintView™ Proactive Service & Toner |

Additional Datamax Benefits:

Includes:

- | |
|---|
| ▶ Total Satisfaction Guarantees |
| ▶ 4 Hour On-Site Response Time Guarantee |
| ▶ Partnership Reviews for Solution Optimization |
| ▶ Free Next-day Shipping of Contract Toner |

The above prices do not reflect applicable taxes.

PROPRIETARY NOTES: All the prices and conditions in this proposal are valid for thirty [30] days from the date of proposal unless extended in writing or upon acceptance by Datamax Inc. All information in this proposal is to be considered proprietary and property of Datamax Inc. All documentation and proposal information will be returned to Datamax at its request. Only those identified parties within that are part of the decision-making committee will have access to this proposal. Nothing in this proposal shall be copied, distributed or used by without written authorization of Datamax Inc.





imageRUNNER
ADVANCE DX
719iF/719iFZ
619iF/619iFZ
529iF/529iFZ

imageRUNNER ADVANCE DX 719iF Series

Print up to 75 ppm (BW)


Scan up to 200 ipm (300 dpi) (BW/color, duplex)

Print up to 8-1/2" x 14"

3,300-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.

Black-and-white
Compact
Multifunction



WORKFLOW EFFICIENCY

- A large, 10.1" responsive and intuitive touchscreen with smartphone-like usability, making operation clear and virtually seamless.
- Consistent interface across the imageRUNNER ADVANCE DX product line, allowing work to proceed effortlessly and with a minimal learning curve.
- A unique, customized experience that can be tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Easily scan to, and print from, cloud services or email directly from the device User Interface.²



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM*² systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at setup. Includes automatic recovery of boot process for self resiliency.
- McAfee Embedded Control³ utilizes whitelisting to help protect against malware and tampering of firmware and applications.
- Security settings can be established at once by selecting the environment type in Recommended Security Settings. Security policy settings can be configured from a central location and exported to other supported devices.
- Control access to the device and specific features using a host of flexible authentication methods—PIN code, user name/password, or card access.⁴



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for crisp text and consistent images in rich black-and-white tones.
- Designed to achieve maximum uptime with status notifications that help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

* Security Information and Event Management
** Optional Cloud Connector term license required.

SPECIFICATIONS

Main Unit

Type

Monochrome Laser Multifunction

Core Functions

Print, Copy, Scan, Send, Fax

Processor

1.8 GHz Dual Core Processor

Control Panel

10.1" TFT LCD WSVGA Color Touch-panel

Memory

Main CPU Side: 2 GB

Image Processing 1 GB + 512 MB

CPU Side:

Solid State Drive

256 GB

Interface Connection

Network: 1000Base-T/100Base-TX/10Base-T

Optional: Wireless LAN Board-D1

Others

Standard: USB 2.0 x2 (Host), USB 3.0 x1 (Host),
USB 2.0 x1 (Device)

Optional: Copy Control Interface

Paper Capacity (LTR, 20 lb. Bond)

Standard: 650 Sheets

Maximum: 3,200 Sheets

Paper Sources (LTR, 20 lb. Bond)

Standard: 550-sheet Paper Cassette, 100-sheet
Stack Bypass

Optional: 550-sheet (CASSETTE FEEDING UNIT-AR1),
2,650-sheet (HIGH CAPACITY CASSETTE
FEEDING UNIT-D1), 550-sheet (CASSETTE
MODULE-AG1), 75-envelope (ENVELOPE
CASSETTE MODULE-A1)

Paper Output Capacity (LTR, 20 lb. Bond)

Standard Model: 500 Sheets

Finisher Model: 1,000 Sheets

Finishing Capabilities

Standard Model: Collate, Group

Finisher Model: Collate, Group, Offset, Staple

Supported Media Types

Cassettes: Thin, Plain, Recycled, Color, Heavy,
Labels, Bond, Pre-punched

Multi-purpose: Thin, Plain, Recycled, Color, Heavy,
Tray: Transparency, Bond, Envelope

Supported Media Sizes

Cassette (Std.): Letter, Executive, Statement, Letterhead,
Custom size (3-7/8" x 5-7/8" to 8-1/2" x 11-3/4")

Cassettes (Opt.): Legal, Letter, Executive, Statement, Letterhead,
Custom size (3-7/8" x 5-7/8" to 8-1/2" x 14")

Multi-purpose: Legal, Letter, Executive, Statement, Envelope
Tray: [No.10 (COM10), Monarch, DL, ISO-C5],
Custom size (3" x 5" to 8-1/2" x 14")

Supported Media Weights

Cassette: 16 lb. Bond to 36 lb. Bond (60 to 135 g/m²)

Multi-purpose: 16 lb. Bond to 53.3 lb. Cover (60 to 200 g/m²)

Tray:

Duplex: 16 lb. Bond to 32 lb. Bond (60 to 120 g/m²)

Print/Copy Speed (BW)

719iF/719iFZ: Up to 75 ppm (Letter);
Up to 59 ppm (Legal)

619iF/619iFZ: Up to 65 ppm (Letter);
Up to 51 ppm (Legal)

529iF/529iFZ: Up to 55 ppm (Letter);
Up to 45 ppm (Legal)

Warm-up Time

From Power On: 10 Seconds or Less⁶

On:

From Sleep

Mode: 10 Seconds or Less⁷

Quick Startup

Mode: 4 Seconds or Less⁸

Dimensions (W x D x H)

Standard Model: 19-3/4" x 23-1/2" x 24-1/4"
(500 mm x 598 mm x 617 mm)

Finisher Model: 19-3/4" x 23-1/2" x 32-1/8"
(502 mm x 598 mm x 814 mm)

Installation Space (W x D)

41-3/8" x 32-3/8" (1,052 mm x 823 mm) (with left CRG door
open + right door open + the cassette drawer open)

Weight⁹

Standard

Model: Approx. 81.6 lb. (37 kg)

Finisher Model: Approx. 101.4 lb. (46 kg)

Print Specifications

Print Resolution (dpi)

1200 x 1200 (equivalent)

Standard Page Description Languages

UFR II, PCL[®]6, Adobe[®] PS[®] 3

Supported File Types

PDF, TIFF, JPEG, EPS, XPS

Printing from Mobile Devices and Cloud-based Services

A range of standard and optional software and MEAP-based
solutions (including Cloud Connector, AirPrint, Mopria,
Universal Print by Microsoft[®], Canon PRINT Business, and
uniFLOW Online) are available to provide printing from
mobile devices or internet-connected devices and cloud-
based services depending on your requirements. Please
contact your sales representative for further information.

Fonts

PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,
Andalé Mono WT J/K/S/T (Japanese,
Korean, Simplified and Traditional
Chinese),¹⁰ Barcode Fonts¹¹

PS: 136 Roman

Operating System¹²

UFR II/PS: Windows[®] 8.1/10/11/Server 2012/Server
2012 R2/Server 2016/Server 2019/Server
2022, Mac OS X (10.12 or later)

PCL: Windows[®] 8.1/10/11/Server 2012/
Server 2012 R2/Server 2016/Server 2019/
Server 2022

PS: Windows[®] 8.1/10/11/Server 2012/Server
2012 R2/Server 2016/Server 2019/Server
2022, Mac OS X (10.12 or later)

PPD: Windows[®] 10/11, Mac OS X (10.12 or later)

Copy Specifications

First-Copy-Out Time (LTR)

As fast as 5 Seconds

Copy Resolution (dpi)

600 x 600

Multiple Copies

Up to 9,999

Magnification

25%-400% (1% Increments)

Preset Reduction/Enlargement

25%, 50%, 64%, 78%, 100% (1:1), 129%, 200%, 400%

Scan Specifications

Type

Single-pass Duplexing Automatic Document Feeder¹³

Document Feeder Paper Capacity

Up to 100 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement

Custom Size: 1-7/8" x 5" to 8-1/2" x 14" (48.0 mm x 128.0
mm to 216.0 mm x 355.6 mm)

Business Card: 1-7/8" x 3-3/8" to 2-1/8" x 3-5/8" (48.0 mm
x 85.0 mm to 55.0 mm x 91.0 mm)

Document Feeder Supported Media Weights

Single-sided: 13.3 lb. Bond to 34 lb. Bond (50 to 128 g/m²)

Scanning: (BW), 17 to 34 lb. bond (64 to 128 gsm) (CL)

Double-sided: 13.3 lb. Bond to 34 lb. Bond (50 to 128 g/m²)

Scanning: (BW), 17 lb. Bond to 34 lb. Bond (64 to
128 g/m²) (CL)

Business Card: 21.3 lb. Bond to 80 lb. Cover (80 to 220 g/m²)
Card:

Platen Maximum Scanning Size

Up to 8-1/2" x 14" (216.0 mm x 355.6 mm)

Platen Acceptable Originals

Sheet, Book, 3-Dimensional Objects

Pull Scan

Color Network ScanGear2 for both Twain and WIA

Supported OS: Windows[®] 7/8.1/10/Server 2008/Server 2008
R2/Server 2012/Server 2012 R2/Server 2016

Scan Resolution (dpi)

Scan for Copy: 600 x 600

Scan for Send: (Push) 600 x 600 (SMB/FTP/WebDAV/
iFAX), (Pull) 600 x 600

Scan for Fax: 600 x 600

Scan to Mobile Devices and Cloud-based Services

A range of solutions is available to provide scanning to
compatible mobile devices or cloud-based services
depending on your requirements.

Scan Speed (LTR)

Send (300 x 300 dpi)

Automatic Color Select "OFF"

Single-sided

Scanning: 100

Double-

sided

Scanning: 200

Automatic Color Select "ON"

Single-sided

Scanning: 50

Double-

sided

Scanning: 100

Copy (600 x 600 dpi)

Single-sided

Scanning: 100

Double-

sided

Scanning: 155

Send Specifications

Destination

Standard: Email/Internet Fax (SMTP), SMB,
FTP, WebDAV, Mail Box

Optional: IP Fax, Super G3 Fax

Address Book

LDAP (2,000)/Local (1,600)/Speed Dial (200)

Scan Resolution (dpi)

Push: Up to 600 x 600

Pull: Up to 600 x 600

Communication Protocol

File: FTP (TCP/IP), SMB v3.0, WebDAV

Email: SMTP, POP3

File Format

Standard: TIFF, JPEG, PDF (Compact, Searchable,
Apply Policy, Optimize for Web, PDF
A/1-b, Trace & Smooth, Encrypted, Device
Signature, User Signature), XPS (Compact,
Searchable, Device Signature, User
Signature), Office Open XML (PowerPoint,
Word)