




Texas Department of Transportation[®]



August 27, 2024

Dear Judge Robert E. Newsom ,

Thank you for certifying the county road mileage for Hopkins County. With your signature below, you have certified that Hopkins County's mileage of 835.06 is correct. The Texas Department of Transportation, and any delegates you may have assigned to make updates, will also receive this mileage certification letter.

Robert Newsom

CRI App Signed at 8/27/2024 8:44:32 am

Sincerely,

Michael Chamberlain

Transportation Planning and Programming Division

Director of Data Management

TPP_CRI@txdot.gov

(512) 851-9039

HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1100	1	4.7	1.1	0.9		7.7	2	METAL	16 X 21
	1100						0		CULVERT	14 X 22
	1102		0.987				0.987	1		
	1103		2.165				2.165	3		
	1104	0.955	2.136				3.091	3	CONCRETE	16 X 55
	1106		0.816	1		0.549	2.365	2		
2024	1107	Reclaimed 1 mi.	1.683				1.683	4	CONCRETE	20 X 16
2024	1108	Reclaimed 1/2 mi.	0.553				0.553	3		
	1109		0.43	1.429		1.297	3.156	1	CONCRETE	13 X 53
	1110						1.996	3		
	1111		1.228	0.996			1.228	3		
2023	1112	reclaim	2.509	1			3.509	2		
2023	1113	reclaim	0.717				0.717	2		
	1114		1.088	0.371			1.459	2		
	1115		0.8		0.309		1.109	2		
2023	1116	reclaim - 1 mile	6.915	1.74	0.177		8.832	3		
	1117		1.117				1.117	2		
	1118		0.931	0.39			1.321	2		
	1119		1.581				1.581	2		
2022	1120	Reclaimed 1 mi.	2.607				2.607	3	CONCRETE	20 X 62
	1122		0.4	0.7	0.6		1.7	1		
	1123		2.939				2.939			
2019	1124				1.671		1.671		STATE CEMENT	26 X 16
	1125			1.05	1.3		2.35	1	CONCRETE	17 X 40
	1126		2.27				2.27	1		
	1127		3.953				3.953	1		
	1130			3.59			3.59	1		
	1131		4.6	1.438			6.038	3		
	1134		1.14				1.14	1		
	1135		2.283				2.283	2		
	1136		1.019	1	0.48		2.499	2	CULVERT	14 X 16
2023	1137		1.448				1.448	2	CONCRETE	20 X 30
2023	1138					2.724	3.724	3	CONCRETE	16 X 56
							0		ST/CMT	15'6" X 54

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1139			0.306	0.78		1.086	1	CULVERT	9 X 13
	1140			0.172			0.172	2		
	1142		0.434	0.753			1.187	1		
2023	1143	reclaim - 2 miles		0.27		2.078	2.348	4		
	1144		2	0.306			2.306	4		
	1145		1.229				1.229	3		
	1146		0.99				3.983	1	CONCERT ST/CMT	16 X 40 17 X 42
	1147						0.304	1		
	1148			0.289			0.289	1		
	1149		1.7		1.182		2.882	2	TANK CAR	8 FT
	1150			0.158			0.158	1		
	1151		1.619		0.897		2.516	2		
2022	1152		1.726	0.132	1.767		3.625	1	CONCRETE (XJDD) CONCRETE	30 X 75 18 x 48
	1153		1.129				1.129	2		
	1154		1.087		0.527		1.614	3	ST/CMT	16X68
2023	1155	reclaim - 2 miles	1.75		0.562		2.312	2	ST/CMT	20X30
	1156		0.12		1.21		1.33	1		
2023	1157		1.716	3.137			4.853	1	CONCRETE	27 X40
	1158		0.87	0.67			1.54	1		
	1159		2.32	0.27	0.39		2.98	1		
	1160		0.982				0.982	2		
	1161		1.099				1.099	3		
	1162		0.495				0.495	3		
	1163		3.789	0.288			4.077	3	CONCRETE	27 X 62
	1164		0.44	0.649	1.579		2.668	2	METAL	18 X 24
	1165		2.577	0.4	0.54		3.517	2	CULVERT	18 X 16
	1166		0.849				0.849	1		
	1167		0.406				0.406	2		
	1168		0.3	0.48	0.178		0.958	3	CULVERT	14 X 12
	1169		0.606		0.306		0.912	2		
	1170		1.929				1.929	2		
	1171		1.97		0.857		2.827	2		
	1172		1.035				1.035	2		
	1173		0.7	0.718			1.418	3	ST/CMT	16 x 18
2022	1173						0	0	CONCRETE	20 X 30
	1174		3.344	0.438	0.356		4.138	1	CONCRETE	18 X 20

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1175		1		0.043		1.043	3		
	1176		0.217	0.848			1.065	3		
	1177		1.685				1.685	4		
2023	1178	0.558		0.472	0.862		1.892	3	CONCRT	20 x 41
	1179		1.919				1.919	2		
2023	1180		0.1	0.771	0.182		1.053	1	CONCRT (x000)	30 X 75
2023	1181	Reclaimed 1 mi.	1.734				1.734	3		
	1182			0.426			0.426	1		
	1183		1.85				1.85	2		
	1184		0.406				0.406	2		
	1185		1.96	0.53	0.475		2.965	1		
	1186			0.942	2.48		3.422	1	CONCRT	22 x 31
	1187		1.33		0.322		1.652	3		
2024	1188	Reclaim	0.408				0.408	4		
2023	1189			1.241			1.241	2		
2003	1190		1	0.344			1.344	2		
	1191		0.21				0.21	1		
	1192		0.121	0.2			0.321	1		
	1193		0.7	0.47	0.75		1.92	1		
	1194		1.273	0.037	1.038		2.348	1		
	1195		0.8	1.235			2.035	1		
	1196		3.263				3.263	2		
	1197		0.574				0.574	2		
	1198		0.639	0.187			0.826	2		
	1199		0.527				0.527	3		
	1200		0.371				0.371	3		
	1201			0.174			0.174	1		
	1203		0.185				0.185	3		
	1209			0.487			0.487	3		
	1211	Sandy Ranch Roads	0.748				0.748	3		
	1212			0.297			0.297	2		
	1213		0.36				0.36	3		
	1214			0.542			0.542	2		
	1216			0.223			0.223	1		
	1217	Pyor Lane		0.366			0.366	3		
1996	1218		0.944				0.944	3		
	1219			0.288			0.288	1		
	1220			0.455			0.455	1		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
1992	1221						0.214	1		
	1222		0.413	0.214			0.413			
	1436		0.999				0.999	1		
	1438				1.139		1.139	1		
	1439		3.622				3.622	2		
	1440		1.157				1.157	1	CONCRT	27 x 79
	1441		1.295		1.054		2.495	1		
	1442		3.081	0.146			3.081	1	CULVERT	
	1443		1.776				1.776	2		
	1444		2.706				2.706	2	CONCRT	18 x 27
	1445		1.696				1.696	2		
	1455			0.158			0.158	1		
	1469		0.323				0.323	2		
	Briarwood Street		0.499				0.499	3		
	Briarwood Circle		0.18				0.18	3		
	Briarwood Lane		0.316				0.316	3		
	Briarwood Place		0.234				0.234	3		
	Briarwood Trail		0.074				0.074	3		
	Briarwood Court		0.06				0.06	3		
	Briarwood Terrace		0.047				0.047	3		
2/8/2010	Katie Ridge		0.514				0.514	3		
2/8/2010	Conner Place		0.064				0.064	3		
2/8/2010	Kylie Court	0.47					0.47	3		
2/8/2010	Cole Trail		0.059				0.059	3		
2/8/2010	McGahae Rd		0.204				0.204	3		
	Total Mileage:	2.983	136.869	36.293	31.056	4.802	212.003			

Updated 8/26/2024

Mickey Barker
 Approved by Commissioner Mickey Barker

HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2174		3.039				3.039	3		
	2299		0.379				0.379			
	2300		2.158				2.158	3		
	2301		5.101				5.101	2		
	2302		0.791				0.791	3		
	2303		0.569				0.569	3		
	2304		1.335				1.335	3		
	2305		0.443				0.443	3		
	2306			0.261			0.261	3		
	2307	South	0.43				0.43	4		
	2308		2.792				2.792	4		
	2309		0.141				0.141	4		
	2310	WEST OF HWY 69	3.22				3.22	2	CEMENT	20 X 30
	2310		6.864				6.864			
1999	2313				0.435		0.435	3		
	2314		0.156		1		1.156	3		
	2315	North	1.079				1.079	5		
	2315	South	0.265				0.265	4		
	2316		2.721	1.087			3.808	5		
	2317				0.708		0.708	4		
	2318		0.631				0.631	3		
	2319		2.07				2.07	3		
	2320		2.642				2.642	3		
	2321		2.778				2.778	3		
	2322		4.051				4.051	3		
	2323				0.519		0.519	2		
	2324		4.2		1.012		5.212	3		
	2325		1.665				1.665	3		
	2326		1.12				1.12	3		
	2327		0.035			0.45	0.485	3		
	2328			1.787			1.787	3		
	2329		1.907				1.907	3		
	2330		1.417				1.417	3		
	2331		3.21				3.21	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2332		1.968				1.968	3		
	2333		5.241				5.241	3		
	2335		0.083				2.083	3		
	2336		3.075		2		3.075	2		
	2337		0.675				0.675	3		
	2339		0.829				0.829			
	2341		2.447				2.447	3		
	2345		0.47				0.47	3		
	2346		3.773				3.773			
	2346	SOUTH of 2333			2.914		2.914	2		
	2348		1.082				1.082	3		
	2375		1.83				1.83	3		
	2376	West	0.75				0.75	3		
	2376	East			1.208		1.208	3		
	2377		0.702				0.702	3		
	2379		2.045				2.045	3		
	2381	WEST	3.288				3.288	3		
	2381	EAST	0.325				0.325	3		
	2382		1.528				1.528	3		
	2383		3.224				3.224	4		
	2384		0.658				0.658	4		
	2386		2.442				2.442	3		
	2387		0.709				0.709	3		
	2388		1.202				1.202	4		
	2389	South			0.655		0.655	3		
	2389	North	1.76				1.76			
	2390		4.81				4.81	4		
	2391	North	1.291				1.291	4		
	2391	South	1.456				1.456	4		
	2392		0.898				0.898	4		
	2393		3.434				3.434	4		
	2394	West	0.362				0.362	4		
	2394	East	0.143				0.143			
	2395		1.001				1.001	3		
	2396		0.595				0.595	3		
	2397		0.877				0.877	3		
	2398		0.39				0.39	3		
	2399		1.9		0.092		1.992	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2400		2.857				2.857	4		
	2401 North		0.366				0.366			
	2401 South		0.543				0.543	4		
	2402		2.02				2.02	3		
	2403 NORTH of HWY 11		0.417				0.417			
	2403 SOUTH of HWY 11		0.844				0.844			
	2403 SOUTH of CR 2403		2.582				2.582			
	2404		0.043			0.5	0.543	3		
	2405		0.608				0.608	3		
	2406				0.424		0.424	3		
	2407		1.726				1.726	3		
	2408		4.519				4.519	4		
	2409			0.91			0.91	3		
	2410		2.812				2.812	4	CEMENT	6 X 20
	2411		0.242				0.242			
	2412		0.55				0.55	3		
	2413		1.197				1.197	3		
	2414		0.49	1			1.49	3		
	2415		5.2	0.149			5.349	3		
	2416 West			0.241			0.241			
	2416 East			0.127			0.127	3		
	2417		0.385				0.385	3		
	2418		0.181				0.181	3		
	2419 East		0.046				0.046	3		
	2419 West		0.09				0.09			
	2420		1.729				1.729	3	CEMENT	60 X 30
	2421		2.706				2.706	3		
	2422				1.15		1.15	3		
	2423		1.574				1.574	3		
	2424		0.414				0.414	3		
	2425				2.88		2.88	3		
	2426		3.904				3.904	3		
	2427		0.99				0.99	3		
	2428		1.243			2	3.243	3		
	2429		0.133				0.133	3		
	2430		0.391				0.391	3		
	2431		2.823				2.823	3		
	2432		0.098				0.098			

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2433	Tail off main road	0.151				0.151	3		
	2433		0.698				0.698			
	2434		0.294				0.294			
	2435		1.67				1.67	3		
	2436	South	3.455				3.455	3		30 x 24
	2436	North	1.42				1.42			
	2437		2.363				2.363	3		
	2439		1.575				1.575	3		
	2446				0.683		0.683	3		
	2447		0.64				0.64	3		
1992	2450		0.429				0.429	3		
	2451		0.345				0.345			
	2452		0.251				0.251	3		
	2453		0.214				0.214	3		
	2458		0.105				0.105	3		
	2460		0.413				0.413	3		
	2461				0.299		0.299	3		
	2463				0.212		0.212	3		
	2465		0.244				0.244	3		
	2466			0.303			0.303	3		
	2467				0.303		0.303	3		
1995	2468			0.32			0.32	3		
	2470				0.2		0.2	3		
	2471		0.239				0.239	3		
	2472				0.141		0.141	3		
	2473		1.844				1.844	3		
	2474			0.68			0.68	3		
		Spring Creek Circle	0.569				0.569			
		Spring Creek Trail	0.117				0.117			
		Spring Creek Drive	0.072				0.072			
2015		Dolly Road	0.346				0.346	3		
2015		Ely Drive	0.098				0.098	3		
2015		Shawn Drive	0.047				0.047	3		
2015		Katrina Drive	0.217				0.217	3		
2015		Coyote Creek	0.288				0.288	3		
2015		Wylie Drive	0.08				0.08	3		
	TOTALS		176.379	11.745	14.905	0	203.029			

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
------	--------------------	------------------	--------------	---------------	---------------	--------------------	-------------	------------------------	-------------	-------------

2004 David Owens Subdivision
 2015 Honey Suckle Creek Estates Phase III Subdivision

Updated 8/26/2024


 Approved by Commissioner Greg Anglin

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF DIL.	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3310		0.5		1	2.602	4.102	3	CONCRETE	30 X 14
	3311		1.112				1.112	5		
	3312		0.781				0.781	3		
	3334		0.646				0.646	2		
	3338		0.808				0.808	3		
	3340		0.9	0.254			1.154	2		
	3341 NORTH		2.082				2.082	3		
	3341 SOUTH		1.541				1.541	5		
	3342		2.1	0.457		0.9	3.457	3		
	3343		0.302				0.302	3		
	3344		1.7	1.809			3.509	4		
	3345		0.629				0.629	3		
	3349			0.708			0.708	2		
	3350		2.131				2.131	2		
	3351 NORTH		0.626				0.626	3		
	3351 SOUTH		1	0.042		0.4	1.442	5		
	3352		0.705				0.705	2		
	3353					0.95	0.95	1		
	3354			0.905			0.905	2		
	3355		2.602				2.602	4		
	3356		0.26				0.26	2		
	3357		2.111				2.111	5		
	3358		0.304				0.304	3		
	3359		3.654				3.654	5		
	3360		0.504				0.504	2		
	3362		1.142				1.142	2		
	3363			0.215			0.215	1		
	3364		0.982				0.982	3		
	3365		0.557				0.557	3		
	3366		0.591				0.591	5		
1993	3367		1.714				1.714	5		
	3368					0.846	0.846	2		
	3369		1.01				1.11	3		
	3370		0.423				0.423	2		
	3371		0.9	0.2	0.865		1.965	3		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3372									
	3373		0.7	0.708		3.437	3.437	3	STEEL	10 X 8
	3374		0.5		0.211		0.711	2		
	3378					0.319	0.319	3		
	3380		0.2		1.213		1.713	2		
	3385					5.9	6.282	2		
	3452		0.116				0.116	2		
	3456		0.1	0.443			0.543	1		
	3462		0.18				0.18	1		
	3501		0.435				0.435	3		
	3502		2.557				2.557	3		
	3503		0.1	0.611			0.711	3		
	3504		5.158				5.158	4	STEEL	22 X 50
	3505		0.354				0.354	4		
	3506		1.66				1.66	4		
	3507 NORTH		1.067				1.067	4		
	3507 SOUTH			0.357			0.357	4		
	3509		0.473				0.473	4		
	3510			1.09			1.09	3		
	3511		2.5	0.303			2.803	4		
	3512		3.5	0.224			3.719	3		
	3513		1.5	0.837			2.337	2		
	3514		0.2	0.621			0.821	3		
1999	3515		0.358				0.358	4		
	3516		0.482				0.482	3		
	3517		0.596				0.596	4		
	3518		3	1.261			4.261	5	ST/CMT	20 X 80
	3519		0.899				0.899	3		
	3520		2.1	2.9		1.937	6.937	3		
	3521		0.739				0.739	2		
	3522		0.456				0.456	4		
	3523			0.4		0.977	1.377	4		
	3524		3.7	1.484			5.184	3		
	3525		0.898			2	2.898	3		
	3526		0.398				0.398	2		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3527		0.214				0.214	2		
	3528		3.773				3.773	3		
	3529 NORTH		0.698				0.698	4		
	3529 SOUTH		0.292				0.292	3		
	3530			0.3	0.44		0.74	3		
	3531		0.5	0.693			1.193	2		
	3532		2.534				2.534	4		
	3533		1.516				1.516	5		
	3534		0.8	0.229			1.029	5		
	3535		0.626				0.626	3		
	3536		4.165	1.1			5.265	3	ST/CMT	20 X 40
	3537		0.263				0.263	3		
	3538			1.229			1.229	3		
	3539		0.4	0.69			1.09	3		
	3541		0.411				0.411	4		
	3542		4.17				4.17	3		
	3543		1.121				1.121	4		
	3544			1.124			1.124	3		
	3545			4.163			4.163	3		
	3546		2.8	2.836			5.636	3		
	3547			0.221			0.221	3		
	3548			1.009			1.009	3		
	3549			0.673			0.673	3		
	3550 SOUTH		1.176				1.176	3		
	3550 NORTH		0.106				0.106	1		
	3550 SOUTHEAST		0.093				0.093	3		
	3551				0.443		0.443	1		
	3552		0.863				0.863	5		
	3553				1.174		1.174	1		
	3554		0.354	1.099			1.453	3		
	3555 NORTH		0.469				0.469	3		
	3555 SOUTH			0.333			0.333	3		
	3556 SOUTH		0.246				0.246	5		
	3556 NORTH		0.623				0.623	5		
	3557		0.2		0.111		0.311	2		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT											
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF DIRT	MILES OF ROCK	MILES OF SEAL	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE	
	3558	4.693					4.693	4			
	3559			1.486			1.486	3			
	3560			1.397			1.397	3			
	3561	1		2.085			3.085	3			
	3562	5.34					5.34	3			
	3563	2.197					2.197	3			
	3564	1.067					1.067	3			
	3565	0.989					0.989	3			
	3566			0.53		2	2.53	2			
	3567	4.25					4.25	2			
	3567 SOUTH			0.098			0.098	3			
	3567 NORTH			0.567			0.567	2			
	3568	1.728					1.728	3			
	3569					1.725	1.725	3			
	3570	0.1		0.316			0.416	2			
	3571			0.269			0.269	2			
	3572			1	1.131		2.131	1	ST/CMT	20 X 40	
	3573	0.2		0.1	2.056		2.356	1			
	3582	0.624					0.624	2			
	3584	0.318					0.318	3			
	3585	0.5		0.293			0.793	3			
	3593	0.308					0.308	2			
	3594			0.071			0.071	2			
	3595	0.091					0.091	2			
	3596	0.237					0.237	4			
	3597	0.101					0.101	2			
	3598	0.196					0.196	2			
	3599	0.131					0.131	2			
	3600	0.1			0.083		0.183	3			
	3601	0.066					0.066	3			
	3602	0.305					0.305	3			
	3603					0.374	0.374	3			
	3604 NORTH	0.133					0.133	3			
	3604 SOUTH	0.217					0.217	3			
	3605	0.716					0.716	3			

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3606		0.292				0.292	5		
	3607		0.226				0.226	2		
	3608 NORTH		0.108				0.108	3		
	3608 SOUTH		0.169				0.169	2		
	3610		0.052				0.052	3		
	3611			0.5	0.135		0.635	2		
	3617			0.384			0.384	2		
	3620					0.356	0.356	2		
1989	3621		0.198				0.198	5		
	3623 SHILOH		0.398				0.398	3		
	3624		0.216				0.216	2		
	3625		0.233				0.233	3		
	3626			0.103			0.103	2		
	3627			0.351			0.351	2		
	3628			0.393			0.393	3		
	3629			1.223			1.223	3		
	3631		0.669				0.669	3		
	3632		0.559				0.559	3		
	3633		0.268				0.268	3		
	3634			0.143			0.143	2		
	3635			0.177			0.177	2		
	3636			0.312			0.312	2		
	3637				0.29		0.29	1		
1997	3638			0.253			0.253	2		
	3639		0.436				0.436	3		
1998	3640					1.176	1.176	3		
1998	3641		0.157				0.157	3		
	3642		0.168				0.168	4		OLD TARRANT CEMETERY
	3643					0.683	0.683	2		
	3644		0.462				0.462	3		
	3646		0.442				0.442	3		J.W. LIGHTFOOT
2011	3647					0.558	0.558	3		
	3648 NEW		1.08				1.08	2		
	Thomas Road		0.31				0.31	1		
	Kaden Lane		0.209				0.209	3		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	Jake Lane		0.236				0.236	3		
2018	Nicklaus St		0.474				0.474	3		
2018	Nelson St		0.826				0.826	3		
2018	Hogan St		0.122				0.122	3		
	TOTALS		131.573	46.502	10.502	23.649	212.221			

Updated 8/26/2024

Approved by Commissioner Wade Bartley



HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT												
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF DIRT	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE		
	4112		1.128				1.128	3				
	4120 E of 275		0.847				0.847	3				
	4120 W of 275		1.307				1.307	3				
	4128		2.8				3.014	2	STATE CEMENT			
	4129		1.6				3.885	2				
	4131		3.162				3.162	3				
	4132		1.73				1.73	2				
	4133		1.6		0.284		1.884	2				
	4488		0.151				0.151	3				
	4508		0.8		0.536		1.336	4				
	4510				0.874		0.874	3				
	4574 West of CR 4581				0.692		0.692	2				
	4574 EAST OF CR 4581		3.299				3.299	2	STATE	40 X 16		
	4575		1.491		0.1		2.423	2				
	4576				0.536		0.536	2				
	4577				0.672		0.672	2				
	4578		1.2		0.531		1.731	2				
	4579				0.1		1.63	3				
	4580		0.9		0.43		1.33	1				
	4581		1.7				3.889	3	WOOD			
	4582		1.244				1.244	4				
	4583		0.9				2.2	1				
	4586		3.1		0.834		3.934	2				
	4587		0.522				0.522	4				
	4588		1.62				1.62	3	STEEL			
	4589		0.8		0.096		0.896	4				
	4590		0.238				0.238	2				
	4591		1		0.7		2.307	3				
	4592		0.509				0.509	2				
	4593						0.304	2				
1997	4615 South-Tira		0.215		0.304		0.215	3				
	4616		0.68				0.68	2				
	4630				0.1		0.1	1				
	4700		0.7				2.196	1	STEEL			
	4701		0.414				0.414	2				


YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4702		0.5	0.345			0.845	1		
	4703		0.841				0.841	1		
	4704			0.5			0.5	3		
	4705		0.493				0.493	3		
	4706		1.012				1.012	3		
	4707		3.515				3.515	3		
	4708		3.417				3.417	3	STATE CEMENT	
	4709		0.353				0.353	2	STATE CEMENT	
	4710		0.7	0.516			1.216	2	STATE CEMENT	
	4711 NORTH		1.54				1.54	3		
	4711 SOUTH		1.742				1.742	3	STATE CEMENT	
	4712 EAST		2.714				2.714	2	STATE CEMENT	40 X 14
	4712 WEST			1.69			1.69	2	STATE CEMENT	
	4713		0.4	0.1			1.048	4		
	4714		1.3			0.548	2.854	2	STEEL	28.5 X 16
	4715		0.822			1.554	0.822	4		
	4716		1.473				1.473	2		
	4717		0.2	0.4		0.517	1.117	1		
	4718		0.132			0	0.132	1		
	4719		1.9	0.2		0.689	2.789	3	CEMENT	4 X 24
	4720			1.9		3.268	5.168	3	STCMT	52 X 26
	4721			1.0		0.535	1.535	3	STATE CEMENT	26 X 13
	4722		0.842				0.842	4	WOOD	24 X 16
	4723		0.353				0.353	4	STEEL	12 X 14
	4724 NORTH			0.1		0.749	0.849	3		
	4724 SOUTH		4.5	1		0.157	5.657	4		
	4725		2.7	1.774			4.474	2	STATE	30 X 14
	4726		0.595				0.595	3		
	4727		0.186				0.186	1		
	4728		0.5	0.701		0.292	1.493	2		
	4729		0.1	0.86			0.96	2		
	4730		0.863				0.863	2		
	4731		0.465				0.465	3		
	4732 EAST of 275		1.403				1.403	3	CULVERTS	3-4X30
	4732 WEST of 275		0.1	0.6		0.628	1.328	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4733		0.2	0.099			0.299	2		
	4734		0.87				0.87	3	STEEL	
	4735		0.815				0.815	4		
	4736		0.678				0.678	4		
	4737		1.38				1.38	3		
	4738		0.9	5.644			6.544	2	ST/CMT	65 X 26
	4739			0.491			0.491	2		
	4740			0.6			1.506	2		
	4741			0.984	0.906		0.984	3	CULVERT	
	4742				0.398		0.698	3		
	4743		1.234				1.234	3		
	4744		3.1	2.514			5.614	2	STATE CEMENT	30 X 15
	4745			1.136			1.136	2		
	4746			0.187			0.187	1	CULVERTS	14 X 11
	4747		0.301				0.301	3		
	4748		0.456				0.456	3		
	4749		0.3		1.104		1.404	3		
	4750			0.844			0.844	2		
	4751		0.503				0.503	2		
	4752		1.9	1	1.635		4.535	3		
	4753			1.189			1.189	3		
	4754		1.6	0.793			2.393	3		
	4755		1.176				1.176	3		
	4756		0.565				0.565	1		
	4757		0.413				0.413	3		
	4758		0.507				0.507	4		
1996	4759					2.387	2.387	5		
	4760			1.1	2.1	4.526	7.726	5	CEMENT STATE	25 X 14
	4761		2.763				2.763	3		
	4762		2.66				2.66	2		
	4763		2.8	1.388			4.188	3	WOOD	
	4764		1.809				1.809	2	STATE CEMENT	
	4765			0.735			0.735	2		
	4766	NORTH of 71	1	0.614			1.614	4	WOOD	
	4766	SOUTH of 71	2.457				2.457	4		
	4766	East	0.357				0.357	4		
	4767		2.351				2.351	3	WOOD	
	4768	SOUTH of 71	1.809				1.809	1	STATE CEMENT	

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4768 NORTH of 71		0.779				0.779	4		
	4769		1.868				1.868	3	STATE CEMENT	
1996	4770		0.267				0.267	2		
	4771		2.642				2.642	2	STATE CEMENT	
	4772		3.967				3.967	2		
	4773			0.228			0.228	2		
	4775		1.196				1.196	2		
	4776		0.188				0.188	2		
	4777		2.689				2.689	3	STATE CEMENT	
	4778		1.11				1.11	3		
	4779 WEST of HWY 19		0.395				0.395	3		
	4779 SOUTH of CR 4795		0.748				0.748	3		
	4782			0.707			0.707	2		
	4783		0.107				0.107	2		
	4784		0.621				0.621	3		
	4785		0.089				0.089	3		
	4786 SOUTH of Hwy 11		0.072				0.072	2		
	4787 EAST OF FM 71		0.183				0.183	3		
	4788				0.597		0.597	1		
	4789		0.356				0.356	3		
	4790		0.31				0.31	2		
	4791		0.758				0.758	3		
	4792			0.68			0.68	2		
	4794		0.2	0.143			0.343	2		
1992	4795					0.632	0.632	5		
	4796		0.1		0.06		0.16	1		
	4797		0.199				0.199	2		
	4798		0.5		0.488		0.988	1		
	4799			0.422			0.422	3		
	4800			0.316			0.316	2		
	4801			0.716			0.716	2		
	4802		0.11				0.11	1		
	4803			0.427			0.427	1		
	4804			0.715			0.715	2		
	4805			0.202			0.202	3		
	4806			0.339			0.339	3	CULVERT	4 FT
	4807			0.069			0.069	3		
	4808			0.602			0.602	4		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4809			0.3	0.433		0.733	2		
	4810			1.711			1.711	3		
	4811		0.074				0.074	1		
2003	4812			0.1	0.527		0.627	1		
2003	4813	Prairie Creek Road					0.183	3		
2003	4814	Timber Creek Drive					0.303	3	STWD	
2003	4815	Hickory Creek Drive		0.17			0.17	3		
	4816	Turtle Creek		0.283			0.283	3		
	4817	Cedar Creek		0.055			0.055	3		
	4818		0.077				0.077	2		
	4819			0.294			0.294	2		
5/23/2005	4820			0.219			0.219	3		
	4822					0.151	0.151	3		
	4823					0.46	0.46	3		
2022	4824					0.782	0.782	3		
	TOTAL		126.821	48.182	25.739	8.938	209.68			

Updated 8/26/2024

 8-26-24
 Approved by Commissioner Joe Price