



Contract Numbers: *
GM - #706-23
CE - #685-22

KX080-5R3A WEB QUOTE #2840782

Date: 1/20/2025 7:13:03 AM

- Customer Information -

Miller, Welsey

Hopkins County Precint #1

comprec1@hopkinscountytx.org

9032436700

Quote Provided By
FARM COUNTRY, INC.
Hunter Cooksey
1111 INDUSTRIAL DR W
SULPHUR SPRINGS, TX 75482
email: hunter@farmcountrytx.com
phone: 9038857561

- Standard Features -

- Custom Options -



Kubota

K Series

KX080-5R3A

EQUIPMENT IN STANDARD MACHINE

PLEASE CONTACT YOUR AUTHORIZED KUBOTA DEALER FOR
AVAILABILITY AS QUANTITIES ARE LIMITED

FEATURES

Auto Idler
Rubber Or Steel Track Models
Air Conditioned ROPS/OPG
(Top Guard, Level 1) Cab
Cloth Suspension Seat
Kubota 2 Hydraulic Pump Load
Sensing System
2 Variable Displacement
Pumps
All Controls Hydraulic Pilot
Controls
Two Operating Pattern
Selection System
Accumulator
Standard Front Dozer Blade w/
Float
Optional Float Angle Blade w/
Bolt-on Cutting Edge
360 Degree Full Rotation
70 Degree Left, 60 Degree
Right Boom Swing
26.4 gpm Adjustable Auxiliary
Hydraulics Port 1
14.7 gpm Adjustable Auxiliary
Hydraulics Port 2
Thumb Bracket and Relief
Valves
Five-Second Quick Preheat
System
Key Switch Stop System
Half Pitch Rubber Tracks
Self-Bleed Fuel System
Auto-Downshift Two-Speed
Travel System
Swivel Negative Brake
Travel Negative Brake
Third Line
Keyless Start - Standard
Rearview Camera - Standard
Air Ride Suspension Seat -
Standard
Adjustable Seat and Console
Controls - Standard
Telematics Wiring & Modem -
Standard
7" LCD Color Display -
Standard
LED Work Lights
Auto-shut off

ENGINE

V3307 Kubota DI CRS Turbo Tier 4 Final
Diesel Engine
4 Cylinder 4 Cycle
62.3 Net HP @ 2200 rpm (SAE J1349)

OPERATIONAL

DIMENSIONS

Max Digging Depth 15' 1"
Max Digging Radius @ Ground
Level 23' 6.3"
Max Vertical Digging Depth 12'
7.6"
Max Dumping Height 17' 2.7"

DOZER BLADE

DIMENSIONS

Width 86.6"
Height 19.7"
Lift Above Ground 19.7"
Drop Below Ground 19.7"

PERFORMANCE

Digging Force @ Bucket (K7427)
14,660 lbs.
Digging Force @ Dipper Arm 8,554
lbs.
Travel Speed (Low) 1.7 mph
Travel Speed (High) 3.1 mph
Climbing Ability 36% / 20"
Lift Capacity 6,500 lbs.
Over Front
Blade Grounded
4.0 Ft. Load Point Height
12.0 Ft. Load Radius

DIMENSIONS AND OPERATING WEIGHT

KX080-5R3, Rubber Tracks, Air
Cond. ROPS/OPG (Top Guard,
Level 1) Cab, Dozer Blade,
Dipper Arm, Counterweight
Overall Length 21' 1.9"
Overall Width 7' 2.6"
Overall Height 8' 4"
Operating Weight 18,280 lbs.*
Ground Clearance 15.4"
* Includes operator's weight.
175 lbs.

KX080-5R3A Base Price: \$134,764.00

(1) AT&T TIER 3 TELEMATICS MODEM DCL6770-AT&T TIER 3 TELEMATICS MODEM	\$449.00
(1) 30" QUICK ATTACH TRENCHING BUCKET K7428-30" QUICK ATTACH TRENCHING BUCKET	\$3,443.00
(1) QUICK ATTACH COUPLER K7402A-QUICK ATTACH COUPLER	\$2,415.00
(1) HYD THUMB KIT K7405A-HYD THUMB KIT	\$6,324.00
Configured Price:	\$147,395.00
BUY BOARD Discount:	(\$35,374.80)
SUBTOTAL:	\$112,020.20
Dealer Assembly:	\$247.50
Freight Cost:	\$1,931.25
PDI:	\$400.00
shatter proof windshield	\$1,200.00
MX4215 brush cutter Vail	\$10,500.00

Total Unit Price: \$126,298.95

Quantity Ordered: 1

Final Sales Price: \$126,298.95

**Purchase Order Must Reflect
the Final Sales Price**

To order equipment - purchase orders must be made out and
returned to:

Kubota Tractor Corporation
Attn: National Accounts
1000 Kubota Drive
Grapevine, TX 76051
or email NA.Support@kubota.com
or call 817-756-1171 or fax 844-592-1581

*All equipment specifications are as complete as possible as of the date on the quote. Additional attachments, options, or accessories may be added (or deleted) at the discounted price. All specifications and prices are subject to change. Taxes are not included. The PDI fees and freight for attachments and accessories quoted may have additional charges added by the delivering dealer. These charges will be billed separately. Prices for product quoted are good for 60 days from the date shown on the quote. All equipment as quoted is subject to availability.

© 2018 Kubota Tractor Corporation. All rights reserved.

DRAFT

Shannon Pennington

From: Hunter Cooksey <hunter@farmcountrytx.com>
Sent: Tuesday, January 21, 2025 8:53 AM
To: Shannon Pennington
Subject: kx080 quote
Attachments: miller kx080 quote.pdf

Hunter Cooksey
903-885-7561- Office
903-348-8374- Cell



KX080-5R3A

EXCAVATOR W/RUB TKS/AC CAB/ANGLE BLD

Base Price	\$134,764.00
Selected Attachments	
1 X DCU6770 AT&T TIER 3 TELEMATICS MODEM	\$449.00
1 X K7427 24" QUICK ATTACH TRENCHING BUCKET	\$3,204.00
1 X K9943A 3" SEATBELT KIT	\$104.00
1 X K7405A HYD THUMB KIT	\$6,324.00
1 X K7441 48" QUICK ATTACH GRADING BUCKET	\$3,666.00
Configured Price	\$148,511.00
BUY BOARD Discount	-\$35,642.64
BUY BOARD Price	\$112,868.36
Factory Assembly	\$0.00
Dealer Assembly	\$165.00
Freight Cost	\$1,987.50
PDI	\$400.00

Orange Protection +

ORANGE PROTECTION (EXTENDED WARRANTY)
KX080-5R3A

1 YEAR \$2,200.00

2 YEARS \$4,200.00

 **YES, READY TO SUBMIT QUOTE**

SUBMIT FOR REVIEW



CONFIGURE



SUMMARY



KX080-5R3A

EXCAVATOR W/RUB TKS/AC CAB/ANGLE BLD

BUY BOARD Price	\$112,868.36	▲
Factory Assembly	\$0.00	
Dealer Assembly	\$165.00	
Freight Cost	\$1,987.50	
PDI	\$400.00	

Orange Protection +

ORANGE PROTECTION (EXTENDED WARRANTY)

KX080-5R3A

1 YEAR \$2,200.00

2 YEARS \$4,200.00

\$0.00

Other Costs or Discounts

Add cost or discount

Other Costs or Discounts with dollar value must include a detailed description and will require KTC approval.

Land Pride items must reference the LP quote number.

×	vail shredder attachment model MXBC-4815	\$	10500.00
			\$10,500.00

Total Configured Price	\$125,920.86
Quantity Ordered	1
Total Price	\$125,920.86

YES, READY TO SUBMIT QUOTE