

HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1100	1.5	4.2	1.1	0.808		7.608	3	METAL	16 X 21
	1100						0		CULVERT	14 X 22
	1102		0.988				0.988	1		
	1103		2.165				2.165	2		
	1104	0.958	2.136				3.094	2	CONCRETE	16 X 55
	1106		0.816	1	0.55		2.366	1		
2024	1107 Reclaimed 1 mi.		1.678				1.678	3	CONCRETE	20 X 16
2024	1108 Reclaimed 1/2 mi.		0.553				0.553	2		
	1109		0.446	1.421	1.297		3.164	1	CONCRETE	13 X 53
	1110		1	0.994			1.994	3		
	1111		1.228				1.228	2		
2023	1112 reclaim		2.51	1			3.51	2		
2023	1113 reclaim		0.715				0.715	2		
	1114		1.09	0.37			1.46	2		
	1115		0.8		0.311		1.111	2		
2023	1116 reclaim - 1 mile		6.922	1.736	0.178		8.836	1		
	1117		1.117				1.117	2		
	1118		0.93	0.39			1.32	2		
	1119		1.582				1.582	2		
2022	1120 Reclaimed 1 mi.		2.608				2.608	1	CONCRETE	20 X 62
	1122		0.4	0.7	0.602		1.702	1		
	1123		2.942				2.942			
2019	1124				1.671		1.671		STATE CEMENT	26 X 16
	1125			1.04	1.3		2.34	1	CONCRETE	17 X 40
	1126		2.272				2.272	1		
	1127		3.047				3.047	1		
	1130			3.357			3.357	1		
	1131		4.6	1.438			6.038	2		
	1134		1.144				1.144	1		
	1135		2.287				2.287	1		
	1136		0.537	1	0.482		2.019	1	CULVERT	14 X 16
2023	1137		1.442				1.442	1	CONCRETE	20 x 30
2023	1138				1	2.723	3.723	2	CONCRETE	16 X 56
							0		ST/CMT	15'6" X 54
	1139			0.342	0.742		1.084	1	CULVERT	9 X 13
	1140			0.172			0.172	2		

HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF DIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
2023	1142		0.44	0.75			1.19	1		
	1143	reclaim - 2 miles		0.27		2.08	2.35	3		
	1144		2	0.312			2.312	3		
	1145		1.23				1.23	3		
	1146		0.99		2.991		3.981	1	CONCRETE (TxDOT 10/10/24)	16 X 40
							0		ST/CMT	17 X 42
	1147				0.305		0.305	1		
	1148			0.296			0.296	1		
	1149		1.7		1.187		2.887	2	TANK CAR	8 FT
	1150			0.162			0.162	1		
	1151		1.62		0.897		2.517	2		
2022	1152		1.726	0.132	1.759		3.617	1	CONCRETE (TxDOT)	30 X 75
							0		CONCRETE	18 x 48
	1153		1.117				1.117	2		
	1154		1.089		0.527		1.616	3	ST/CMT	16X68
2023	1155	reclaim - 2 miles	1.75		0.562		2.312	2	ST/CMT	20X30
	1156		0.125		1.21		1.335	1		
2023	1157		1.717	3.137			4.854	1	CONCRETE	27 X40
	1158		0.872	0.67			1.542	1		
	1159		2.32	0.27	0.39		2.98	1		
	1160		0.949				0.949	2		
	1161		1.106				1.106	3		
	1162		0.495				0.495	3		
	1163		3.789	0.297			4.086	2	CONCRETE	27 X 62
	1164		0.44	0.649	1.592		2.681	2	METAL	18 X 24
	1165		2.569	0.4	0.544		3.513	2	CULVERT	18 X 16
	1166		0.858				0.858	1		
	1167		0.41				0.41	2		
	1168		0.304	0.48	0.178		0.962	3	CULVERT	14 X 12
	1169		0.608		0.306		0.914	2		
	1170		1.925				1.925	2		
	1171		1.97		0.858		2.828	1		
	1172		1.036				1.036	2		
	1173		0.7	0.718			1.418	3	ST/CMT	16 x 18
2022	1173						0		CONCRETE	20 X 30
	1174		3.344	0.436	0.356		4.136	1	CONCRETE	18 X 20


HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1175		1		0.108		1.108	3		
	1176		0.217	0.848			1.065	3		
	1177		1.687				1.687	3		
2023	1178	0.558		0.472	0.861		1.891	3	CONCRT	20 x 41
	1179		1.918				1.918	2		
2023	1180		0.1	0.771	0.181		1.052	1	CONCRETE (ToDOT 2024)	30 X 75
2023	1181	Reclaimed 1 mi.	1.73				1.73	3		
	1182			0.424			0.424	1		
	1183		1.851				1.851	2		
	1184		0.396				0.396	2		
	1185		1.96	0.53	0.474		2.964	1		
	1186			0.946	2.48		3.426	1	CONCRT	22 x 31
	1187		1.33		0.334		1.664	3		
2024	1188	Reclaim	0.407				0.407	3		
2023	1189			1.235			1.235	1		
2003	1190		1	0.334			1.334	2		
	1191		0.209				0.209	1		
	1192		0.12	0.2			0.32	1		
	1193		0.7	0.47	0.75		1.92	1		
	1194		1.284	0.037	1.038		2.359	1		
	1195		0.8	1.234			2.034	1		
	1196		3.273				3.273	4		
	1197		0.575				0.575	2		
	1198		0.639	0.19			0.829	2		
	1199		0.528				0.528	3		
	1200		0.371				0.371	3		
	1201			0.174			0.174	1		
	1203		0.185				0.185	4		
	1209			0.481			0.481	3		
	1211	Sandy Ranch Roads	0.751				0.751	3		
	1212			0.288			0.288	2		
	1213		0.359				0.359	3		
	1214		0.542				0.542	2		
	1216		0.225				0.225	1		
	1217	Pryor Lane		0.364			0.364	3		
1996	1218		0.94				0.94	3		
	1219			0.285			0.285	1		

HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF DIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
1992	1220			0.457			0.457	1		
	1221			0.219			0.219	1		
	1222		0.416				0.416			
	1436		0.999				0.999	1		
	1438				1.138		1.138	1		
	1439		3.623				3.623	1		
	1440		1.145				1.145	1	CONCRT	27 x 79
	1441		1.46	0.146	1.054		2.66	1		
	1442		3.093				3.093	1	CULVERT	
	1443		1.775				1.775	2		
	1444		2.707				2.707	2	CONCRT	18 x 27
	1445		1.697				1.697	2		
	1455			0.16			0.16	1		
	1469		0.326				0.326	2		
	Briarwood Street		0.495				0.495	3		
	Briarwood Circle		0.163				0.163	3		
	Briarwood Lane		0.315				0.315	3		
	Briarwood Place		0.233				0.233	3		
	Briarwood Trail		0.79				0.79	3		
	Briarwood Court		0.061				0.061	3		
	Briarwood Terrace		0.046				0.046	3		
2/8/2010	Katie Ridge		0.5				0.5	3		
2/8/2010	Conner Place		0.048				0.048	3		
2/8/2010	Kylie Court	0.476					0.476	3		
2/8/2010	Cole Trail		0.045				0.045	3		
	McGahee Rd		0.224				0.224	4		
	Total Mileage:	3.492	136.612	35.304	31.021	4.803	211.232			

Updated 8/12/2025


 Approved by Commissioner Wesley Miller

HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2174		3.045				3.045	4		
	2299		0.381				0.381	2		
	2300		2.166				2.166	3		
	2301		5.148				5.148	3		
	2302		0.795				0.795	3		
	2303		0.568				0.568	3		
	2304		1.335				1.335	3		
	2305		0.444				0.444	4		
	2306			0.263			0.263	3		
	2307 South		0.43				0.43	4		
	2308		2.796				2.796	4		
	2309		0.1				0.1	4		
	2310 WEST OF HWY 69		3.228				3.228	2	CEMENT	20 X 30
	2310		6.869				6.869	3		
1999	2313				0.434		0.434	3		
	2314		0.16		1		1.16	3		
	2315 North		1.078				1.078	5		
	2315 South		0.265				0.265	4		
	2316		2.721	1.085			3.806	5		
	2317				0.701		0.701	4		
	2318		0.632				0.632	3		
	2319		0.985				0.985	4		
	2320		2.65				2.65	3		
	2321		2.785				2.785	3		
	2322		4.054				4.054	3		
	2323				0.517		0.517	2		
	2324		4.2		1.014		5.214	4		
	2325		1.664				1.664	3		
	2326		1.12				1.12	3		
	2327		0.04		0.45		0.49	3		
	2328			1.791			1.791	3		
	2329		1.902				1.902	3		
	2330		1.419				1.419	3		
	2331		3.212				3.212	3		
	2332		1.968				1.968	3		
	2333		5.202				5.202	4		

HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2335		0.021		2		2.021	3		
	2336		3.077				3.077	3		
	2337		0.685				0.685	3		
	2339		0.829				0.829	2		
	2341		2.447				2.447	3		
	2345		0.47				0.47	3		
	2346		3.769				3.769	3		
	2346 SOUTH of 2333				2.911		2.911	2		
	2348		1.085				1.085	3		
	2375		1.805				1.805	3		
	2376 West		0.745				0.745	3		
	2376 East				1.208		1.208	3		
	2377		0.709				0.709	3		
	2379		2.045				2.045	4		
	2381 WEST		3.288				3.288	4		
	2381 EAST		0.325				0.325	4		
	2382		1.53				1.53	3		
	2383		3.23				3.23	4		
	2384		0.659				0.659	4		
	2386		2.438				2.438	3		
	2387		0.714				0.714	3		
	2388		1.202				1.202	4		
	2389 South				0.661		0.661	3		
	2389 North		1.76				1.76	3		
	2390		4.805				4.805	4		
	2391 North		1.291				1.291	4		
	2391 South		1.46				1.46	4		
	2392		0.903				0.903	4		
	2393		3.435				3.435	3		
	2394 West		0.362				0.362	4		
	2394 East		0.145				0.145	4		
	2395		1.002				1.002	3		
	2396		0.598				0.598	3		
	2397		0.878				0.878	3		
	2398		0.39				0.39	3		
	2399		1.9		0.094		1.994	4		
	2400		2.859				2.859	4		

HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2401 North		0.372				0.372	4		
	2401 South		0.543				0.543	4		
	2402		2.026				2.026	3		
	2403 NORTH of HWY 11		0.423				0.423	2		
	2403 SOUTH of HWY 11		0.843				0.843	2		
	2403 SOUTH of CR 2403		2.583				2.583	3		
	2404		0.046		0.5		0.546	3		
	2405		0.61				0.61	3		
	2406				0.424		0.424	3		
	2407		1.731				1.731	3		
	2408		4.526				4.526	4		
	2409			0.912			0.912	3		
	2410		2.813				2.813	4	CEMENT	6 X 20
	2411		0.242				0.242	2		
	2412		0.55				0.55	3		
	2413		1.197				1.197	3		
	2414		0.493	1			1.493	4		
	2415		5.2	0.154			5.354	3		
	2416 West			0.241			0.241	3		
	2416 East			0.127			0.127	3		
	2417		0.394				0.394	3		
	2418		0.186				0.186	3		
	2419 East		0.048				0.048	3		
	2419 West		0.09				0.09	3		
	2420		1.731				1.731	3	CEMENT	60 x 30
	2421		2.71				2.71	3		
	2422				1.15		1.15	3		
	2423		1.573				1.573	3		
	2424		0.416				0.416	3		
	2425			2.88			2.88	3		
	2426		3.905				3.905	3		
	2427		0.991				0.991	3		
	2428		1.245	2			3.245	4		
	2429		0.126				0.126	3		
	2430		0.396				0.396	3		
	2431		2.823				2.823	3		
	2433 Tail off main road		0.151				0.151	3		

HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2433		0.698				0.698	3		
	2434		0.298				0.298	2		
	2435		1.677				1.677	3		
	2436 South		3.452				3.452	3		30 x 24
	2436 North		1.42				1.42	3		
	2437		2.366				2.366	4		
	2439		1.574				1.574	3		
	2446				0.589		0.589	3		
	2447		0.641				0.641	4		
1992	2450		0.432				0.432	3		
	2451		0.345				0.345	3		
	2452		0.252				0.252	3		
	2453		0.214				0.214	3		
	2458		0.109				0.109	3		
	2460		0.412				0.412	3		
	2461				0.299		0.299	3		
	2463				0.245		0.245	3		
	2465		0.245				0.245	3		
	2466			0.303			0.303	3		
	2467				0.309		0.309	3		
1995	2468			0.321			0.321	3		
	2470				0.204		0.204	3		
	2471		0.241				0.241	3		
	2472				0.143		0.143	3		
	2473		1.844				1.844	3		
	2474			0.67			0.67	3		
	Spring Creek Circle		0.569				0.569	4		
	Spring Creek Trail		0.117				0.117	4		
	Spring Creek Drive		0.072				0.072	4		
2015	Dolly Road		0.346				0.346	3		
2015	Ely Drive		0.098				0.098	3		
2015	Shawn Drive		0.047				0.047	3		
2015	Katrina Drive		0.217				0.217	3		
2015	Coyote Creek		0.288				0.288	3		
2015	Wylie Drive		0.08				0.08	3		
	TOTALS		175.26	11.747	14.853	0	201.86			

HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT									
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE BRIDGE SIZE

2004 David Owens Subdivision

2015 Honey Suckle Creek Estates Phase III Subdivision

Updated 8/12/2025



Approved by Commissioner Greg Anglin

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3310		0.5	1		2.61	4.11	3	CONCRETE	30 X 14
	3311		1.107				1.107	4		
	3312		0.783				0.783	2		
	3334		0.648				0.648	2		
	3338		0.81				0.81	3		
	3340		0.9	0.255			1.155	2		
	3341 NORTH		2.082				2.195	3		
	3341 SOUTH		1.541				1.545	4		
	3342		2.1	0.459	0.9		3.459	2		
	3343		0.303				0.303	3		
	3344		1.7	1.811			3.511	3		
	3345		0.63				0.63	3		
	3349			0.71			0.71	2		
	3350		2.132				2.132	2		
	3351 NORTH		0.628				0.628	3		
	3351 SOUTH		1	0.047	0.4		1.447	3		
	3352		0.707				0.707	2		
	3353				0.952		0.952	1		
	3354			0.905			0.905	2		
	3355		2.606				2.606	2		
	3356		0.263				0.263	2		
	3357		2.111				2.111	4		
	3358		0.306				0.306	4		
	3359		3.656				3.656	4		
	3360		0.506				0.506	2		
	3362			1.143			1.143	2		
	3363				0.216		0.216	1		
	3364		0.987				0.987	3		
	3365		0.559				0.559	5		
	3366		0.593				0.593	4		
1993	3367		1.717				1.717	3		
	3368					0.849	0.849	3		
	3369		1		0.012		1.012	3		
	3370		0.423				0.423	2		
	3371		0.9	0.2	0.867		1.967	3		
	3372					3.433	3.433	4	STEEL	10 X 8

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3373		0.7	0.71			1.41	2		
	3374		0.5		0.213		0.713	4		
	3378					0.315	0.315	5		
	3380		0.2	0.3	1.216		1.716	2		
	3385			0.384		5.9	6.284	3		
	3452		0.118				0.118	2		
	3456		0.1	0.398			0.498	1		
	3462		0.183				0.183	1		
	3501		0.428				0.428	3		
	3502		2.557				2.557	3		
	3502 West		0.208				0.208	4		
	3503		0.1	0.432			0.532	3		
	3504		4.258	0.895			5.153	3	STEEL	22 X 50
	3505		0.357				0.357	4		
	3506		1.661				1.661	3		
	3507 NORTH		1.073				1.073	4		
	3507 SOUTH			0.359			0.359	3		
	3509		0.478				0.478	4		
	3510			1.091			1.091	2		
	3511		2.5	0.299			2.799	4		
	3512		3.5	0.223			3.723	4		
	3513		1.5	0.832			2.332	2		
	3514		0.2	0.626			0.826	3		
1999	3515		0.359				0.359	4		
	3516		0.485				0.485	3		
	3517		0.598				0.598	4		
	3518		3	1.264			4.264	3	ST/CMT	20 X 80
	3519		0.887				0.887	3		
	3520		2.1	2.9		1.929	6.929	3		
	3521		0.74				0.74	3		
	3522		0.455				0.455	3		
	3523			0.4		0.981	1.381	5		
	3524		3.7	1.48			5.18	3		
	3525		0.902			2	2.902	3		
	3526		0.399				0.399	2		
	3527		0.217				0.217	2		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3528		3.78				3.78	3		
	3529 NORTH		0.702				0.702	4		
	3529 SOUTH		2.94				2.94	3		
	3530			0.302	0.44		0.742	2		
	3531		0.5	0.697			1.197	3		
	3532		2.535				2.535	2		
	3533		1.519				1.519	5		
	3534		0.8	0.231			1.031	3		
	3535		0.772				0.772	3		
	3536		4.169	1.1			5.269	3	ST/CMT	20 X 40
	3537		0.265				0.265	3		
	3538			1.235			1.235	4		
	3539		0.4	0.695			1.095	3		
	3541		0.416				0.416	4		
	3542		4.177				4.177	3		
	3543		1.124				1.124	3		
	3544			1.125			1.125	3		
	3545			4.169			4.169	3		
	3546		2.8	2.839			5.639	3		
	3547			0.222			0.222	1		
	3548			1.009			1.009	3		
	3549			0.674			0.674	3		
	3550 SOUTH		1.177				1.177	3		
	3550 NORTH		0.107				0.107	1		
	3550 SOUTHEAST		0.095				0.095	3		
	3551				0.443		0.443	1		
	3552		0.866				0.866	5		
	3553				1.177		1.177	1		
	3554		0.358	1.1			1.458	2		
	3555 NORTH		0.47				0.47	3		
	3555 SOUTH			0.333			0.333	3		
	3556 SOUTH		0.251				0.251	5		
	3556 NORTH		0.623				0.623	5		
	3557		0.2		0.109		0.309	2		
	3558		4.71				4.71	3		
	3559			1.49			1.49	3		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3560			1.398			1.398	3		
	3561		1	2.084			3.084	3		
	3562		5.33				5.33	3		
	3563		2.199				2.199	3		
	3564		1.063				1.063	4		
	3565		0.988				0.988	3		
	3566			0.531		2	2.531	2		
	3567		3.25	1			4.25	2		
	3567 SOUTH			0.099			0.099	3		
	3567 NORTH			0.567			0.567	2		
	3568		1.73				1.73	2		
	3569					1.727	1.727	5		
	3570		0.1	0.321			0.421	2		
	3571			0.265			0.265	2		
	3572			1	1.205		2.205	1	ST/CMT	20 X 40
	3573		0.2	0.1	1.957		2.257	1		
	3582		0.626				0.626	2		
	3584		0.319				0.319	3		
	3585		0.5	0.294			0.794	4		
	3593		0.31				0.31	2		
	3594			0.073			0.073	4		
	3595		0.093				0.093	2		
	3596		0.238				0.238	4		
	3597		0.104				0.104	2		
	3598		0.199				0.199	2		
	3599		0.133				0.133	2		
	3600		0.1		0.083		0.183	2		
	3601		0.068				0.068	3		
	3602		0.308				0.308	3		
	3603					0.373	0.373	3		
	3604 NORTH		0.137				0.137	3		
	3604 SOUTH		0.222				0.222	3		
	3605		0.714				0.714	3		
	3606		0.293				0.293	5		
	3607		0.228				0.228	2		
	3608 NORTH		0.113				0.113	3		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3608 SOUTH		0.171				0.171	2		
	3610		0.056				0.056	3		
	3611			0.5	0.136		0.636	2		
	3617			0.387			0.387	2		
1989	3620					0.362	0.362	2		
	3621		0.202				0.202	5		
	3623 SHILOH		0.289				0.289	3		
	3624		0.177				0.177	2		
	3625		0.235				0.235	3		
	3626			0.103			0.103	2		
	3627			0.354			0.354	2		
	3628			0.4			0.4	3		
	3629			1.227			1.227	3		
	3631		0.673				0.673	3		
	3632		0.56				0.56	3		
	3633		0.27				0.27	3		
	3634			0.145			0.145	2		
	3635			0.179			0.179	2		
	3636			0.314			0.314	2		
	3637				0.3		0.3	1		
1997	3638			0.255			0.255	2		
	3639		0.436				0.436	3		
1998	3640					1.178	1.178	3		
1998	3641		0.157				0.157	3		
	3642		0.168				0.168	4		OLD TARRANT CEMETERY
	3643			0.68			0.68	2		
	3644		0.463				0.463	3		
	3646		0.432				0.432	3		J.W. LIGHTFOOT
2011	3647			0.56			0.56	3		
	3648 NEW		1.084				1.084	2		
	Thomas Road		0.03				0.03	1		
	Kaden Lane		0.207				0.207	3		
	Jake Lane		0.242				0.242	3		
2018	Nicklaus St		0.429				0.429	3		
2018	Nelson St		0.789				0.789	3		
2018	Hogan St		0.133				0.133	3		

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
			131.185	49.18	10.626	23.657	214.765			
	TOTALS		131.185	49.18	10.626	23.657	214.765			

Updated 8/12/2025


 Approved by Commissioner Travis Thompson

HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4112		1.127				1.127	3		
	4120 E of 275		0.848				0.848	3		
	4120 W of 275		1.31				1.31	3		
	4128		2.8	0.214			3.014	3	STATE CEMENT	
	4129		1.6	0.785	1.5		3.885	3		
	4131		3.167				3.167	4		
	4132		1.729				1.729	3		
	4133		1.6	0.284			1.884	2		
	4488		0.155				0.155	4		
	4508		0.8	0.539			1.339	4		
	4510			0.878			0.878	4		
	4574 West of CR 4581			0.693			0.693	2		
	4574 EAST OF CR 4581		3.299				3.299	2		
	4575		1.491	0.1	0.832		2.423	2	STATE	40 X 16
	4576			0.536			0.536	2		
	4577			0.672			0.672	3		
	4578		1.2	0.527			1.727	2		
	4579			0.1	1.53		1.63	2		
	4580		0.9	0.43			1.33	3		
	4581		1.7	0.903	1.289		3.892	3	WOOD	
	4582		1.245				1.245	5		
	4583		0.902		1.3		2.202	2		
	4586		3.1	0.831			3.931	4		
	4587		0.523				0.523	4		
	4588		1.617				1.617	3	STEEL	
	4589		0.8	0.099			0.899	4		
	4590		0.239				0.239	2		
	4591		1	0.7	0.607		2.307	2		
	4592		0.509				0.509	2		
	4593			0.304			0.304	2		
1997	4615 South-Tira		0.215				0.215	2		
	4616		0.68				0.68	4		
	4630			0.1			0.1	2		
	4700		0.7		1.5		2.2	1	STEEL	
	4701		0.421				0.421	2		
	4702		0.5	0.345			0.845	3		
	4703		0.84				0.84	1		
	4704			0.503			0.5	2		

HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4705		0.493				0.493	3		
	4706		1.018				1.018	3		
	4707		3.481				3.481	4		
	4708		3.423				3.423	5	STATE CEMENT	
							0	3	STATE CEMENT	
	4709		0.353				0.353	4		
	4710		0.7	0.521			1.221	2	STATE CEMENT	
	4711 NORTH		1.541				1.541	3		
	4711 SOUTH		1.744				1.744	3	STATE CEMENT	
	4712 EAST		2.712				2.712	2	STATE CEMENT	40 X 14
	4712 WEST			1.687			1.687	3	STATE CEMENT	
	4713		0.4	0.1	0.552		1.052	3		
	4714		1.3		1.555		2.855	4	STEEL	28.5 X 16
	4715		0.82				0.82	3		
	4716		1.477				1.477	2		
	4717		0.2	0.4	0.52		1.12	2		
	4718		0.137		0		0.137	1		
	4719		1.9	0.2	0.686		2.786	2	CEMENT	4 X 24
							0		ST/CMT	52 X 26
	4720			1.9	3.269		5.169	3	STATE CEMENT	26 X 13
	4721			1.0	0.533		1.533	3	WOOD	24 X 16
							0		STEEL	12 X 14
	4722		0.856				0.856	4		
	4723		0.355				0.355	4		
	4724 NORTH			0.1	0.749		0.849	3		
	4724 SOUTH		4.5	1	0.155		5.655	4		
	4725		2.7	1.777			4.477	2	STATE	30 X 14
	4726		0.595				0.595	3		
	4727		0.186				0.186	1		
	4728		0.5	0.701	0.292		1.493	2		
	4729		0.1	0.864			0.964	3		
	4730		0.869				0.869	3		
	4731		0.465				0.465	3		
	4732 EAST of 275		1.403				1.403	3	CULVERTS	3-4X30
	4732 WEST of 275		0.1	0.6	0.634		1.334	2		
	4733		0.2	0.101			0.301	2		
	4734		0.873				0.873	3	STEEL	
	4735		0.817				0.817	4		

HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4736		0.667				0.667	4		
	4737		1.382				1.382	2		
	4738		0.9	5.645			6.545	3	ST/CMT	65 X 26
	4739			0.482			0.482	2		
	4740			0.6	0.908		1.508	3		
	4741			0.986			0.986	3	CULVERT	
	4742			0.3	0.4		0.7	3		
	4743		1.287				1.287	3		
	4744		3.1	2.51			5.61	2	STATE CEMENT	30 X 15
	4745			1.136			1.136	3		
	4746			0.188			0.188	1	CULVERTS	14 X 11
	4747		0.301				0.301	3		
	4748		0.456				0.456	3		
	4749		0.3		1.09		1.39	3		
	4750			0.844			0.844	3		
	4751		0.507				0.507	2		
	4752		1.9	1.1	1.635		4.635	3		
	4753			1.182			1.182	3		
	4754		1.6	0.794			2.394	3		
	4755		1.183				1.183	3		
	4756		0.565				0.565	1		
	4757		0.411				0.411	2		
	4758		0.508				0.508	4		
1996	4759					2.386	2.386	5		
	4760			1.1	2.1	4.536	7.736	5	CEMENT STATE	25 X 14
	4761		2.767				2.767	4		
	4762		2.666				2.666	3		
	4763		2.8	1.395			4.195	5	WOOD	
	4764		1.808				1.808	2	STATE CEMENT	
	4765			0.737			0.737	3		
	4766 NORTH of 71		1	0.615			1.615	3	WOOD	
	4766 SOUTH of 71		2.457				2.457	3		
	4766 East		0.357				0.357	3		
	4767		2.355				2.355	2	WOOD	
	4768 SOUTH of 71		1.806				1.806	3	STATE CEMENT	
	4768 NORTH of 71		0.782				0.782	4		
	4769		1.869				1.869	3	STATE CEMENT	
1996	4770		0.265				0.265	2		

HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4771		2.658				2.658	3	STATE CEMENT	
	4772		3.968				3.968	2		
	4773			0.219			0.219	2		
	4775		1.197				1.197	5		
	4776		0.188				0.188	5		
	4777		2.689				2.689	3	STATE CEMENT	
	4778		1.11				1.11	3		
	4779 WEST of HWY 19		0.395				0.395	3		
	4779 SOUTH of CR 4795		0.749				0.749	3		
	4782			0.707			0.707	2		
	4783		0.109				0.109	2		
	4784		0.627				0.627	3		
	4785		0.089				0.089	3		
	4786 SOUTH of Hwy 11		0.078				0.078	2		
	4787 EAST OF FM 71		0.181				0.181	3		
	4788				0.597		0.597	1		
	4789		0.357				0.357	3		
	4790		0.311				0.311	2		
	4791		0.741				0.741	3		
	4792			0.679			0.679	2		
	4794		0.2	0.147			0.347	3		
1992	4795					0.632	0.632	5		
	4796		0.1		0.06		0.16	1		
	4797		0.199				0.199	2		
	4798		0.5		0.485		0.985	2		
	4799			0.418			0.418	3		
	4800			0.317			0.317	3		
	4801			0.717			0.717	4		
	4802		0.103				0.103	1		
	4803			0.432			0.432	3		
	4804			0.716			0.716	2		
	4805			0.202			0.202	3		
	4806			0.341			0.341	2	CULVERT	4 FT
	4807			0.073			0.073	3		
	4808			0.604			0.604	4		
	4809			0.3	0.437		0.737	2		
	4810			1.713			1.713	3		
	4811		0.073				0.073	1		

HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR • 5-EXCELLENT											
YEAR	COUNTY ROAD NUMBER		MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
2003	4812				0.1	0.529		0.629	3		
2003	4813	Prairie Creek Road		0.183				0.183	3		
2003	4814	Timber Creek Drive		0.304				0.304	3	ST/WD	
2003	4815	Hickory Creek Drive		0.168				0.168	3		
	4816	Turtle Creek		0.283				0.283	3		
	4817	Cedar Creek		0.038				0.038	3		
	4818			0.085	RIDGEWAY			0.085	2		
	4819				0.294	CUMBY		0.294	2		
5/23/2005	4820				0.219			0.219	3		
	4822						0.155	0.155	3		
	4823						0.463	0.463	3		
2022	4824						0.805	0.782	5		
	TOTAL			126.917	48.306	25.744	8.977	209.918			

Updated 8/12/2025


Approved by Commissioner Joe Price

NOTE: County Roads within Tira City Limits Maintained by County per Resolution No. 2024-0708 Not Listed with TxDOT

[illegible]